

TARTER[®]

FARM AND RANCH EQUIPMENT

75
YEARS

1945 - 2020

PRODUCT CATALOG

2020

TARTER[®]

FARM AND RANCH EQUIPMENT

The Tarter family has been manufacturing quality, American made products for farmers and ranchers for generations. Our great-grandfather, C.V. Tarter, started the company over seventy years ago, crafting wooden farm gates by hand. Today, we're the largest manufacturer of farm gates and animal management equipment in North America, with 1400 employees and over a million square feet of production facilities in two states. Our family-run business remains committed to creating quality products for your farm or ranch.

IMPROVING LIFE ON YOUR LAND

SINCE 1945



GATES, PANELS & WALK-THRUS 5

Gates	8
Gate Hardware & Accessories	19
Super-Stock Panels & Components	20
Arena Panels & Components	22
Equine Corral Panels & Walk-Thrus	24
Cattle Corral Panels & Walk-Thrus	25
Pipe Panels & Walk-Thru	28
Kidder Panels & Walk-Thru	28
ValuLine Panels & Walk-Thru	29
Vertical Bar Small Animal Panels	29

CATTLE EQUIPMENT 31

Squeeze Chutes	34
Headgates	42,46
Squeeze Chute Accessories	48
Sweep Systems	50
Sweep System Accessories	58
Super-Stock Panels & Components	60
Hay Feeders	64
Grain Feeders	73
Creep Feeders	76
Mineral Feeders	79

EQUINE EQUIPMENT 83

Horse Stalls	84
Stall Feeders	96
Compact Manure Spreader	98
Hay Feeders	100
Hay & Grain Feeders	104
Equine Corral Panels & Walk-Thrus	106
Arena Panels & Components	107
Corral Pen Calculator	107
Arena Workers	108

SMALL ANIMAL EQUIPMENT 109

Feeders	110-113
Duratough Small Animal Feeder	110
Goat Creep Feeder	112
Mineral Feeders	113
Small Animal Transporter	114
Panels	115

KENNELS 121

Elite Dog Kennel	124
Blue Champion Dog Kennel	128
Galvanized Wire Dog Kennel	130

TANKS & GALVANIZED PRODUCTS

Galvanized Stock Tanks	132
Galvanized Utility Tanks	136
Galvanized Raised Bed Planters	140
Galvanized Fire Ring	142
Homestead Planters	146
Specialty Watering	148

FRONT-ATTACH IMPLEMENTS 151

Pallet Fork	152
Bucket-Mount Rake	154
Front-Attach Super Spear	155
Bucket-Mount Super Spear	156
Snow Pusher	

3-POINT IMPLEMENTS 157

Rotary Tillers	160
Box Blades	164
Grader Blades	168,173
Landscape Rakes	170,172
Land Grader	174
Rotary Cutters	176
Finish Mowers	180
Plows	181-183
Cultivator	184
Discs	185-187
Boom Poles	188
Trailer Mover	189
Carry All	189
Fertilizer Spreader/Seeders	190
Hay Spears	191
Wire Fence Stretcher	192

UTV & ATV EQUIPMENT 194

Compact Manure Spreader	196
ATV Fertilizer Spreader/Seeder	197
Chain Harrow	198
Disc Harrow	198
Disc/Cultipacker Combo	199
Flip Disc	199
Compact Disc	200
Wire Unroller	200

RODEO & ARENA EQUIPMENT 201

Roping Chutes & Equipment	205
Bucking Chutes & Equipment	207
Super-Stock Panels & Components	209
Arena Panels & Components	212
Arena Packages	214
Arena Workers	220

CUSTOM MANUFACTURING 221

WIRE & FENCING SUPPLIES 229

Fencing Implements	230
Wire Panels	232
Rolled Wire Products	233
Posts & Accessories	234

**"TARTER GATES ARE OUTSTANDING
IN QUALITY AND DURABILITY WHILE
BEING REASONABLY PRICED..."**

- Lyn Wills



A man in a light blue t-shirt and jeans leans on a red metal gate. A woman in a purple plaid shirt crouches to pet a brown and white dog. The background is a wooden fence.

GATES PANELS & WALK-THRUS

Find the right gate, built to last. The Tarter family has been perfecting gates since 1945.



THE TARTER LINE OF GATES, PANELS, AND WALK-THRUS OFFER A COMPREHENSIVE SOLUTION TO EVERY SITUATION ON THE FARM

BULLMAX SERIES

Designed to withstand the pressure of the toughest high-stress situations. Products in this series feature heavy-duty 2" steel tubing for maximum strength and durability.



GREAT FOR:

Heavy confinement, commercial use, large animals, large herds

STEELMAX SERIES

Designed for general livestock applications, these products feature 1³/₄" steel tubing with extra bracing - adding strength and durability.



GREAT FOR:

Medium-light confinement, average herds, mixed herds

WATCHMAN SERIES

Designed for small animal and equine applications, products in this line feature durable 1³/₄" steel tubing and wire-filled construction.



GREAT FOR:

Light confinement, small herds, horses, and smaller animals

AMERICAN SERIES

The cost-effective products in this series feature 1³/₄" steel tubing and are perfect for entrances to pastures, low-pressure environments and light-duty confinement.



GREAT FOR:

Field & pasture entrances, light confinement, temporary applications



BULLMAX XD SQUARE CORNER GATE

2" SUPER-DUTY GATE

TALL & STRONG: 2" round high-tensile strength steel that stands 62" tall and laser-cut bracing to accommodate the largest animals.

SAFE & SECURE: No sharp edges for animal and handler safety. Super-duty hinges and welded chain latches for reliable animal enclosure.

BUILT TO LAST: Powder-coated finish and welded corners keep moisture at bay, preventing rust.



HEAVY CONFINEMENT

BROWN ITEM #	GREEN ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
2SCGBR4	2SCGG4	0	62"	4'	43 lbs
2SCGBR10	2SCGG10	1	62"	10'	99 lbs
2SCGBR12	2SCGG12	2	62"	12'	117 lbs
2SCGBR16	2SCGG16	3	62"	16'	152 lbs
2SCGBR18*	2SCGG18*	3	62"	18'	194 lbs
2SCGBR20*	2SCGG20*	3	62"	20'	213 lbs

All 2" tube gates are 2½" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

BULLMAX HD ROUND CORNER GATE

EXTRA HEAVY-DUTY 2" GATE WITH COLLARED HINGE

STRONG & STURDY: Vertical Z-braces and 2" tubing provide added strength and durability.

EASY INSTALLATION: Comes with heavy-duty collared hinges, snap chain and welded chain latch.

LOW MAINTENANCE DURABILITY: Our innovative finish helps keep rust at bay and protects your investment for years to come.



HEAVY CONFINEMENT

RED ITEM #	GREEN ITEM #	BROWN ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
2RGCH4	2GGCH4	2BRGCH4	0	52"	4'	43 lbs
2RGCH6	2GGCH6	2BRGCH6	1	52"	6'	58 lbs
2RGCH8	2GGCH8	2BRGCH8	1	52"	8'	75 lbs
2RGCH10	2GGCH10	2BRGCH10	1	52"	10'	88 lbs
2RGCH12	2GGCH12	2BRGCH12	2	52"	12'	105 lbs
2RGCH14	2GGCH14	2BRGCH14	2	52"	14'	120 lbs
2RGCH16	2GGCH16	2BRGCH16	3	52"	16'	136 lbs
2RGCH18*	2GGCH18*	2BRGCH18*	3	52"	18'	157 lbs
2RGCH20*	2GGCH20*	2BRGCH20*	4	52"	20'	184 lbs

All 2" tube gates are 2½" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products





BULLMAX ROUND CORNER GATE

EXTRA HEAVY-DUTY 2" 6-BAR GATE

STRONG & STURDY: Vertical Z-braces and 2" tubing provide added strength and durability.

EASY INSTALLATION: Comes with hinge pins, snap chain and welded chain latch.

LOW MAINTENANCE DURABILITY: Our innovative finish helps keep rust at bay and protects your investment for years to come.



HEAVY CONFINEMENT

RED ITEM #	GREEN ITEM #	BLACK ITEM #	GALV ITEM #	BRACES	H	L	APPROX. WEIGHT
2RG4	2GG4	2BLG4*	2GVG4	0	52"	4'	43 lbs
2RG6	2GG6	2BLG6*	2GVG6	1	52"	6'	58 lbs
2RG8	2GG8	2BLG8*	2GVG8	1	52"	8'	75 lbs
2RG10	2GG10	2BLG10*	2GVG10	1	52"	10'	88 lbs
2RG12	2GG12	2BLG12*	2GVG12	2	52"	12'	105 lbs
2RG14	2GG14	2BLG14*	2GVG14	2	52"	14'	120 lbs
2RG16	2GG16	2BLG16*	2GVG16	3	52"	16'	136 lbs
2RG18*	2GG18*	2BLG18*	—	3	52"	18'	157 lbs
2RG20*	2GG20*	2BLG20*	—	4	52"	20'	184 lbs

All 2" tube gates are 2 1/2" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

STEELMAX SQUARE CORNER GATE

SQUARE CORNER GATE

DOUBLE DUTY: Large enough and strong enough to be used for livestock confinement or as a pasture entrance.

TARTER TOUGH: Built to last with 1 $\frac{3}{4}$ " tubing, saddle welded square corners and laser-cut braces.

LOW MAINTENANCE DURABILITY: This gate features a powder coat finish that resists rust, making your investment safe for years to come.

ADJUSTABLE AND SECURE: Collared hinges and chain latch provide reliable enclosure.



MED-LIGHT CONFINEMENT

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
SCGBR6	0	51"	6'	50 lbs
SCGBR8	0	51"	8'	64 lbs
SCGBR10	1	51"	10'	74 lbs
SCGBR12	1	51"	12'	96 lbs
SCGBR14	1	51"	14'	112 lbs
SCGBR16	2	51"	16'	125 lbs

1 $\frac{3}{4}$ " tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products






STEELMAX STOCK GATE

7-BAR HEAVY-DUTY BULL GATE

DOUBLE DUTY: Large enough and strong enough to be used for livestock confinement or as a pasture entrance. This gate stands 50" high with 1 $\frac{3}{4}$ " high-tensile strength tubing.

LONG-LASTING FINISH: With E-coat and powder over E-coat finishes, there is not an end in sight to this gate's lifespan.

STRONG & STURDY: 7 bars and vertical Z-braces add to the strength and stability of this gate.



**MED-LIGHT
CONFINEMENT**

RED ITEM #	GREEN ITEM #	BLUE ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
RRB4	RGB4T	RBB4	0	50"	4'	28 lbs
RRB6	RGB6T	RBB6	1	50"	6'	39 lbs
RRB8	RGB8T	RBB8	1	50"	8'	45 lbs
RRB10	RGB10T	RBB10	2	50"	10'	53 lbs
RRB12	RGB12T	RBB12	3	50"	12'	64 lbs
RRB14	RGB14T	RBB14	3	50"	14'	71 lbs
RRB16	RGB16T	RBB16	4	50"	16'	81 lbs
RRB18*	RGB18T*	RBB18*	5	50"	18'	98 lbs
RRB20*	RGB20T*	RBB20*	6	50"	20'	110 lbs

1 $\frac{3}{4}$ " tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

AMERICAN GATE

6-BAR ECONOMY TUBE GATE

ALL ACCESS: It's the perfect gate for access between pastures and entry-ways.

DECISIONS, DECISIONS: Choose a size from 4' - 20' in either our durable, corrosion-resistant powder coat or a galvanized finish.

EASY INSTALLATION: Comes with all hardware including hinge pins, snap chain and welded chain latch.

SUPERIOR CONSTRUCTION: 1³/₄" high-tensile strength tubing with continuous welded saddle joints for ultimate reliability and durability.



**PASTURE/FIELD
GRADE**

RED ITEM #	GREEN ITEM #	BLACK ITEM #	BLUE ITEM #	BROWN ITEM #	GALV ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
6ER4	6EG4	6EBL4	6EB4	6EBR4	6GG4	0	50"	4'	17 lbs
6ER6	6EG6	6EBL6	6EB6	6EBR6	6GG6	1	50"	6'	26 lbs
6ER8	6EG8	6EBL8	6EB8	6EBR8	6GG8	1	50"	8'	34 lbs
6ER10	6EG10	6EBL10	6EB10	6EBR10	6GG10	1	50"	10'	42 lbs
6ER12	6EG12	6EBL12	6EB12	6EBR12	6GG12	2	50"	12'	51 lbs
6ER14	6EG14	6EBL14	6EB14	6EBR14	6GG14	2	50"	14'	60 lbs
6ER16	6EG16	6EBL16	6EB16	6EBR16	6GG16	3	50"	16'	69 lbs
6ER18*	6EG18*	6EBL18*	6EB18*	—	6GG18*	3	50"	18'	78 lbs
6ER20*	6EG20*	6EBL20*	6EB20*	—	6GG20*	4	50"	20'	87 lbs

1³/₄" tube gates are 3" shorter than listed length to allow for hardware and proper clearance.






WATCHMAN WIRE MESH GATE

2X4 WIRE-FILLED GATE

SAFETY FIRST: The design keeps horses and small animals safely contained. The 2"x4" wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1 3/4" round high-tensile strength tubing and durable powder coat finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.



LIGHT CONFINEMENT

BLUE ITEM #	GREEN ITEM #	GRAY ITEM #	BLACK ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
WFGB4	WFGG4	WFGGR4	WFGBL4	0	50"	4'	26 lbs
WFGB6	WFGG6	WFGGR6	WFGBL6	0	50"	6'	35 lbs
WFGB8	WFGG8	WFGGR8	WFGBL8	1	50"	8'	44 lbs
WFGB10	WFGG10	WFGGR10	WFGBL10	1	50"	10'	53 lbs
WFGB12	WFGG12	WFGGR12	WFGBL12	1	50"	12'	61 lbs
WFGB14	WFGG14	WFGGR14	WFGBL14	2	50"	14'	72 lbs
WFGB16	WFGG16	WFGGR16	WFGBL16	2	50"	16'	83 lbs

1 3/4" tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

NOTE: Special lead time may apply to some products


WATCHMAN GALVANIZED WIRE MESH GATE

GALVANIZED WIRE-FILLED GATE

SAFETY FIRST: The design keeps horses and small animals safely contained. The graduated wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1 $\frac{3}{4}$ " round high-tensile strength tubing and durable galvanized finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.



LIGHT CONFINEMENT

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
WG4	0	50"	4'	20 lbs
WG6	0	50"	6'	28 lbs
WG8	1	50"	8'	39 lbs
WG10	1	50"	10'	47 lbs
WG12	1	50"	12'	55 lbs
WG14	2	50"	14'	65 lbs
WG16	2	50"	16'	72 lbs

1 $\frac{3}{4}$ " tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products





WATCHMAN SC WIRE MESH GATE

2X4 SQUARE CORNER WIRE-FILLED GATE

SAFETY FIRST: The design keep horses and small animals safely contained. The 2"x4" wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1³/₄" round high-tensile strength tubing and durable powder-coat finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.



LIGHT CONFINEMENT

GREEN ITEM #	BROWN ITEM #	GRAY ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
WFGGSC4	WFGBRSC4	WFGGRSC4	0	50"	4'	26 lbs
WFGGSC6	WFGBRSC6	WFGGRSC6	0	50"	6'	35 lbs
WFGGSC8	WFGBRSC8	WFGGRSC8	1	50"	8'	44 lbs
WFGGSC10	WFGBRSC10	WFGGRSC10	1	50"	10'	53 lbs
WFGGSC12	WFGBRSC12	WFGGRSC12	1	50"	12'	61 lbs
WFGGSC14	WFGBRSC14	WFGGRSC14	2	50"	14'	72 lbs
WFGGSC16	WFGBRSC16	WFGGRSC16	2	50"	16'	83 lbs

1³/₄" tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

NOTE: Special lead time may apply to some products

WATCHMAN SC GALVANIZED WIRE MESH GATE

GALVANIZED SQUARE CORNER WIRE-FILLED GATE

SAFETY FIRST: The design keep horses and small animals safely contained. The graduated wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1 $\frac{3}{4}$ " round high-tensile strength tubing and durable galvanized finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.



LIGHT CONFINEMENT

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
WGSC4	0	50"	4'	20 lbs
WGSC6	0	50"	6'	28 lbs
WGSC8	1	50"	8'	39 lbs
WGSC10	1	50"	10'	47 lbs
WGSC12	1	50"	12'	55 lbs
WGSC14	2	50"	14'	65 lbs
WGSC16	2	50"	16'	72 lbs

1 $\frac{3}{4}$ " tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products





STEELMAX SMALL ANIMAL GATE

7-BAR HOG/SHEEP GATE

SAFE KEEPING: Specially designed gate keeps small animals such as hogs and sheep confined. Stands 35" tall and is available in 4-20' lengths.

STRONG & DURABLE: 1 3/4" high-tensile tubing is strong and requires little maintenance.

EASY INSTALLATION: Comes with hinge pins, snap chain, and chain latch. Ready to hang when you are.

1 3/4" tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
RRP4*	0	35"	4'	22 lbs
RRP6*	1	35"	6'	31 lbs
RRP8*	1	35"	8'	41 lbs
RRP10	2	35"	10'	52 lbs
RRP12	3	35"	12'	62 lbs
RRP14*	3	35"	14'	72 lbs
RRP16*	4	35"	16'	82 lbs
RRP18*	5	35"	18'	92 lbs
RRP20*	5	35"	20'	103 lbs

PERSONALIZED GATE

MAKE IT YOUR OWN: Personalize your property with custom 9" letters on this made to order heavy duty gate.

STRONG & STURDY: Choose from 2" or 1 3/4" tubing for strength and vertical Z-braces add durability.

EASY INSTALLATION: Comes with all hardware including hinge pins, snap chain and welded chain latch.

1 3/4" tube gates are 3" shorter; 2" tube gates are 2 1/2" shorter than listed length to allow for hardware and proper clearance.



HEAVY CONFINEMENT



PASTURE/FIELD GRADE



RED ITEM #	GREEN ITEM #	BLACK ITEM #	BLUE ITEM #	TUBE	MAXIMUM CHARACTERS	HEIGHT	LENGTH	APPROX. WEIGHT
2RG12*	2GG12*	2BLG12*	—	2"	15	52"	12'	105 lbs
2RG16*	2GG16*	2BLG16*	—	2"	21	52"	16'	136 lbs
6ER12*	6EG12*	6EBL12*	6EB12*	1 3/4"	15	52"	12'	51 lbs
6ER16*	6EG16*	6EBL16*	6EB16*	1 3/4"	21	52"	16'	69 lbs

GATE HARDWARE & ACCESSORIES

Whether you are looking for a solution to make farm life easier, or simply repairing existing gates or fence, Tarter has what you need to get the job done.

SCREW-IN GATE PIN
HPG6



THREADED GATE PIN
HPG13



THREADED GATE PIN
HPHDG12



GATE HINGE
CHG




HD GATE HINGE
CHHDG



HD SNAP CHAIN
HDGSC



TWO-WAY LATCH
GL21P



WRANGLER LATCH
WL



HEAVY-DUTY TWO-WAY LATCH
GL22P



GATE WHEEL
GWHP



DESCRIPTION

- 5/8" x 6" Galvanized Screw-in Gate Pin (for 1 3/4" gates)
- 5/8" x 13" Galvanized Threaded Gate Pin (for 1 3/4" gates)
- 3/4" x 12" Galvanized Threaded Gate Pin (for 2" gates)
- 1 3/4" Galvanized Hinge (for 1 3/4" gates)
- 2" Heavy-Duty Galvanized Hinge (for 1 3/4" gates)
- 36" Heavy-Duty Galvanized Snap Chain
- Gate Wheel
- Heavy-Duty Two-Way Lockable Gate Latch (fits gates 1 5/8" - 2" O.D.)
- Two-Way Lockable Gate Latch (fits gates 1 1/4" - 1 1/2" O.D.)
- Wrangler Latch

ITEM #	H	W	L	APPROX. WEIGHT
HPG6	2"	1"	7 1/2"	.5 lbs
HPG13	2"	1"	13 1/2"	1.5 lbs
HPHDG12	2"	1"	12 1/2"	2 lbs
CHG	1 1/2"	2"	3 1/2"	.45 lbs
CHHDG	1 1/2"	2 1/4"	3 1/2"	.85 lbs
HDGSC	1"	1"	36"	.75 lbs
GWHP	7"	2"	7"	3.75 lbs
GL22P	11"	4 1/4"	3"	5 lbs
GL21P	6 3/4"	4"	3"	2 lbs
WL	31 1/2"	4 1/2"	4"	7.25 lbs

NOTE: Special lead time may apply to some products

SUPER-STOCK

PANELS, WALK, RIDE, & DRIVE-THRUS



COMMERCIAL-GRADE CONFINEMENT

When you need the toughest and most reliable confinement solution available - turn to Tarter's Super-Stock line. Featuring heavy-gauge 2" steel tubing and a comprehensive list of options - this commercial grade option delivers durability, safety and flexibility for nearly any application. Our knowledgeable, experienced design and support teams are ready to help you take your facility to the next level.

DESCRIPTION	ITEM #	H	W	L	GATE HEIGHT	APPROX. WEIGHT	CONNECTION
5' Super-Stock Panel	SSP5*	5'	2"	5'	—	78 lbs	FF
10' Super-Stock Panel	SSP10*	5'	2"	10'	—	130 lbs	FF
12' Super-Stock Panel	SSP12*	5'	2"	12'	—	156 lbs	FF
16' Super-Stock Panel	SSP16*	5'	2"	16'	—	207 lbs	FF
10' Super-Stock Panel w/Walk-Thru	SSPWT710*	7'	5"	10'	6'	171 lbs	FF
12' Super-Stock Panel w/Walk-Thru	SSPWT712*	7'	5"	12'	6'	206 lbs	FF
4' Super-Stock Walk-Thru	SSWT74*	7'	5"	4'	6'	138 lbs	FF
6' Super-Stock Walk-Thru	SSWT76*	7'	5"	6'	6'	207 lbs	FF
10' Super-Stock Walk-Thru	SSWT710*	7'	5"	10'	6'	345 lbs	FF
12' Super-Stock Walk-Thru	SSWT712*	7'	5"	12'	6'	414 lbs	FF
6' Super-Stock Ride-thru	SSRT96*	9'	5"	6'	6'	162 lbs	FF
7' Super-Stock Ride-thru	SSRT97*	9'	5"	7'	6'	187 lbs	FF
10' Super-Stock Ride-thru	SSRT910*	9'	5"	10'	6'	271 lbs	FF
10' Super-Stock Ride-thru BOW ONLY	SSRT910OFF*	9'	5"	10'	—	148 lbs	FF
12' Super-Stock Ride-thru	SSRT912*	9'	5"	12'	6'	295 lbs	FF
16' Super-Stock Ride-thru	SSRT916*	9'	5"	16'	6'	432 lbs	FF
12' Super-Stock Drive-thru	SSDT1212*	12'	5"	12'	6'	327 lbs	FF
10' Super-Stock Arena Panel	SSPA10*	6'	2"	10'	—	137 lbs	MF
12' Super-Stock Arena Panel	SSPA12*	6'	2"	12'	—	164 lbs	MF
16' Super-Stock Arena Panel	SSPA16*	6'	2"	16'	—	218 lbs	MF
4' Super-Stock Arena Walk-Thru	SSAWT74*	7'	5"	4'	6'	96 lbs	MF
6' Super-Stock Arena Walk-Thru	SSAWT76*	7'	5"	6'	6'	192 lbs	MF
10' Super-Stock Arena Walk-Thru	SSAWT710*	7'	5"	10'	6'	240 lbs	MF
12' Super-Stock Arena Walk-Thru	SSAWT712*	7'	5"	12'	6'	288 lbs	MF
6' Super-Stock Arena Ride-thru	SSART96*	9'	5"	6'	6'	154 lbs	MF
10' Super-Stock Arena Ride-thru	SSART910*	9'	5"	10'	6'	257 lbs	MF
12' Super-Stock Arena Ride-thru	SSART912*	9'	5"	12'	6'	308 lbs	MF
16' Super-Stock Arena Ride-thru	SSART916*	9'	5"	16'	6'	411 lbs	MF
10' Super-Stock Arena Ride-thru	SSART910MM*	9'	5"	10'	6'	261 lbs	MM
10' Super-Stock Arena Ride-thru BOW ONLY	SSART9100MM*	9'	5"	10'	6'	178 lbs	MM
12' Super-Stock Arena Ride-thru	SSART912MM*	9'	5"	12'	6'	294 lbs	MM
12' Super-Stock Arena Drive-thru	SSADT1212*	12'	5"	12'	6'	327 lbs	MF
2" Panel Clip	PC2						
1.75" Panel Clip	PC134						
Bow Hook-up Adapter	BHA						
Connector Posts	Please contact Tarter Representative						

ARENA PANELS

WALK-THRUS, RIDE-THRUS, & DRIVE-THRUS



PRESENT LIKE NO OTHER

The comprehensive lineup of arena panels and components from Tarter Farm and Ranch features heavy gauge 1³/₄" tubing complete with heavy-duty connection pins for rock solid construction. Precision laser-cut bracing allows for superior strength and safety for animals and riders alike.

DESCRIPTION	ITEM #	H	W	L	GATE HEIGHT	APPROX. WEIGHT	CONNECTION
6' Heavy-Duty Arena Panel	APHD56*	5'	2"	6'	—	55 lbs	MF
8' Heavy-Duty Arena Panel	APHD58*	5'	2"	8'	—	65 lbs	MF
10' Heavy-Duty Arena Panel	APHD510*	5'	2"	10'	—	80 lbs	MF
12' Heavy-Duty Arena Panel	APHD512*	5'	2"	12'	—	102 lbs	MF
16' Heavy-Duty Arena Panel	APHD516*	5'	2"	16'	—	128 lbs	MF
6' Heavy-Duty Arena Panel	APHD66*	6'	2"	6'	—	70 lbs	MF
8' Heavy-Duty Arena Panel	APHD68*	6'	2"	8'	—	85 lbs	MF
10' Heavy-Duty Arena Panel	APHD610*	6'	2"	10'	—	100 lbs	MF
12' Heavy-Duty Arena Panel	APHD612*	6'	2"	12'	—	125 lbs	MF
16' Heavy-Duty Arena Panel	APHD616*	6'	2"	16'	—	165 lbs	MF
6' Economy Arena Panel	AP56*	5'	1.75"	6'	—	30 lbs	MF
8' Economy Arena Panel	AP58*	5'	1.75"	8'	—	39 lbs	MF
10' Economy Arena Panel	AP510*	5'	1.75"	10'	—	45 lbs	MF
12' Economy Arena Panel	AP512*	5'	1.75"	12'	—	55 lbs	MF
16' Economy Arena Panel	AP516*	5'	1.75"	16'	—	80 lbs	MF
4' Arena Walk-Thru	AWTHD574*	84"	4"	4'	5'	121 lbs	MF
6' Arena Walk-Thru	AWTHD576*	84"	4"	6'	5'	149 lbs	MF
10' Arena Walk-Thru	AWTHD5710*	84"	4"	10'	5'	218 lbs	MF
12' Arena Walk-Thru	AWTHD5712*	84"	4"	12'	5'	243 lbs	MF
4' Arena Walk-Thru	AWTHD674*	84"	4"	4'	6'	123 lbs	MF
6' Arena Walk-Thru	AWTHD676*	84"	4"	6'	6'	151 lbs	MF
10' Arena Walk-Thru	AWTHD6710*	84"	4"	10'	6'	219 lbs	MF
12' Arena Walk-Thru	AWTHD6712*	84"	4"	12'	6'	245 lbs	MF
6' Arena Ride-Thru	ARTHD596*	108"	4"	6'	5'	139 lbs	MF
10' Arena Ride-Thru	ARTHD5910*	108"	4"	10'	5'	254 lbs	MF
10' Arena Ride-Thru Bow Only	ARTHD5910OMM*	108"	4"	10'	5'	153 lbs	MM
6' Arena Ride-Thru	ARTHD696*	108"	4"	6'	6'	168 lbs	MF
10' Arena Ride-Thru	ARTHD6910*	108"	4"	10'	6'	228 lbs	MF
10' Arena Ride-Thru	ARTHD6910MM*	108"	4"	10'	6'	228 lbs	MM
10' Arena Ride-Thru Bow Only	ARTHD6910OMM*	108"	4"	10'	6'	154 lbs	MM
12' Arena Drive-Thru	ADTHD51212*	144"	4"	12'	5'	324 lbs	MF
12' Arena Drive-Thru	ADTHD61212*	144"	4"	12'	6'	327 lbs	MF
2" Panel Clip	PC2						
1.75" Panel Clip	PC134						
Bow Hook-up Adapter	BHA						
Connector Posts	Please contact Tarter Representative						



EQUIMAX PANELS & WALK-THRUS

HORSE CORRAL PANEL, WALK-THRU WITH PANEL, WALK-THRU

BUILT FOR YOUR NEEDS: If you have horses that need work, our 5' and 6' tall panels are ideal for round pen work, exercise, lessons, and training.

SAFEST PANEL YOU CAN BUY: Features our unique laser-cut bracing that provides a completely smooth surface, as well as loop legs designed to give if the horse comes in contact with a panel.

EASY ACCESS: Straight end posts with secure quick-pin latches offer easy assembly. These panels easily hook together to create your perfect pen.



DESCRIPTION	GRAY ITEM #	BROWN ITEM #	BRACES	GATE HEIGHT	H	L	APPROX. WEIGHT
5' Tall x 10' Long EquiMax Panel	HCP510*	HCPBR510	1	—	5'	10'	48 lbs
5' Tall x 12' Long EquiMax Panel	HCP512	HCPBR512	1	—	5'	12'	56 lbs
5' Tall x 16' Long EquiMax Panel	HCP516*	HCPBR516	2	—	5'	16'	73 lbs
6' Tall x 12' Long EquiMax Panel	HCP612	HCPBR612*	1	—	6'	12'	61 lbs
5' Tall x 12' Long EquiMax Panel w/Walk-Thru	HWT566	HWTBR566	—	5'	9'	12'	100 lbs
6' Tall x 12' Long EquiMax Panel w/Walk-Thru	HWT666	—	—	6'	9'	12'	127 lbs
EquiMax Walk-Thru w/5' Tall Gate	HWT56	HWTBR56	—	5'	9'	6'	70 lbs
EquiMax Walk-Thru w/6' Tall Gate	HWT66	HWTBR66*	—	6'	9'	6'	73 lbs

NOTE: Special lead time may apply to some products

BULLMAX PANELS & WALK-THRUS

2" EXTRA HEAVY-DUTY CORRAL PANELS & WALK-THRUS


EXTRA HEAVY-DUTY: With 2" steel tubing and continuous-welded joints, it's perfect for feedlots and working pens.

EASY INSTALLATION: Quick-pin latch system makes installation or removal a breeze.

STABILITY FEATURE: Custom loop legs help prevent sinking into the ground.

QUICK ACCESS: Our sliding gate latching system is lockable and easy to operate with a single hand.

TALL & STRONG: Built "Tarter Tough" with the height you need for a variety of livestock. Walk-Thrus provide 8' of overhead clearance with up to a 6' gate width.



DESCRIPTION	RED ITEM #	GREEN ITEM #	BROWN ITEM #	GALV ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
10' BullMax Corral Panel	2RC10	2GC10	2BRC10	—	1	62"	10'	100 lbs
12' BullMax Corral Panel	2RC12	2GC12	2BRC12	2GVC12	2	62"	12'	118 lbs
14' BullMax Corral Panel	2RC14*	2GC14	—	—	2	62"	14'	141 lbs
16' BullMax Corral Panel	2RC16	2GC16	2BRC16	—	3	62"	16'	153 lbs
4' BullMax Walk-Thru	2WR4	2WG4	—	—	—	96"	4'	76 lbs
6' BullMax Walk-Thru	2WR6	2WG6	2WBR6	—	1	96"	6'	114 lbs
6' BullMax Walk-Thru w/6' Panel	2WR66	2WG66	2WBR66	—	1	96"	12'	162 lbs

NOTE: Special lead time may apply to some products






STEELMAX PANELS & WALK-THRUS

6-BAR HEAVY DUTY STANDARD CORRAL PANELS & WALK-THRUS

SUPERIOR CONSTRUCTION: 1³/₄" steel tubing with continuous welded saddle joints and extra bracing for added reliability and durability.

EASY INSTALLATION: Quick-pin latch system makes installing or removing a breeze.

STABILITY FEATURE: Custom loop legs help prevent sinking into the ground.



MED-LIGHT CONFINEMENT



DESCRIPTION

6' SteelMax Corral Panel
 8' SteelMax Corral Panel
 10' SteelMax Corral Panel
 12' SteelMax Corral Panel
 14' SteelMax Corral Panel
 16' SteelMax Corral Panel
 4' SteelMax Walk-Thru
 6' SteelMax Walk-Thru
 6' SteelMax Panel w/4' Walk-Thru
 8' SteelMax Panel w/4' Walk-Thru

ITEM

RRC6*
RRC8*
RRC10
RRC12
RRC14
RRC16
RRW4
RRW6
RRW64
RRW84

BRACES

1
 1
 2
 3
 3
 4
 —
 1
 1
 1

HEIGHT

62"
 62"
 62"
 62"
 62"
 62"
 62"
 62"
 62"
 62"

LENGTH

6'
 8'
 10'
 12'
 14'
 16'
 4'
 6'
 10'
 12'

APPROX. WEIGHT

39
 45
 54
 62
 78
 84
 43
 80
 71
 86

NOTE: Special lead time may apply to some products


AMERICAN PANELS & WALK-THRUS

6-BAR ECONOMY CORRAL PANELS & WALK-THRUS

SUPERIOR CONSTRUCTION: 1³/₄" steel tubing with continuous welded saddle joints for reliability and durability. Powder coat or galvanized finish helps keep your investment corrosion-free.

JUST RIGHT: Perfect size and durability for light-to-medium livestock confinement in round pens or working arenas.

EASY INSTALLATION: Quick-pin latch system makes installing or removing a breeze.



DESCRIPTION	RED ITEM #	GREEN ITEM #	BLUE ITEM #	BROWN ITEM #	GALV ITEM #	BRACES	H	L	APPROX. WEIGHT
6' American Corral Panel	ECR6	—	—	—	—	1	62"	6'	36 lbs
8' American Corral Panel	ECR8	—	—	—	—	1	62"	8'	40 lbs
10' American Corral Panel	ECR10	ECG10T	ECB10	ECBR10	6GC10	1	62"	10'	52 lbs
12' American Corral Panel	ECR12	ECG12T	ECB12	ECBR12	6GC12	2	62"	12'	58 lbs
14' American Corral Panel	ECR14	ECG14T*	ECB14*	ECBR14	—	2	62"	14'	65 lbs
16' American Corral Panel	ECR16	ECG16T	ECB16	ECBR16	6GC16	3	62"	16'	72 lbs
4' American Walk-Thru	EWR4	EWG4T	EWB4	EWBR4	6GW4	—	62"	4'	45 lbs
6' American Walk-Thru	EWR6	EWG6T	EWB6	EWBR6	6GW6*	1	62"	6'	68 lbs
6' American Panel w/4' Walk-Thru	EWR64	EWG64T	EWB64	—	—	1	62"	10'	71 lbs
6' American Panel w/6' Walk-Thru	EWR66	EWG66T	—	EWBR66	—	2	62"	12'	90 lbs
8' American Panel w/4' Walk-Thru	EWR84	EWG84T	EWB84	—	6GW84	1	62"	12'	86 lbs

NOTE: Special lead time may apply to some products





PIPE PANELS & WALK-THRU

SAFE KEEPING: 1" steel construction designed for small animal enclosures and corrals, keeping your livestock safely contained.

QUICK ASSEMBLY: Perfect for 4-H and FFA use, these panels are easy to transport and assemble in a snap.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant finish. Suitable for indoor or outdoor use.

DESCRIPTION	ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
4' Pipe Panel w/Hardware	PPWR4	1	36"	48"	15 lbs
8' Pipe Panel w/Hardware	PPWR8	2	36"	96"	24 lbs
4' Pipe Panel Walk-Thru	PPWTR4	—	74"	48"	23 lbs

KIDDER PANELS & WALK-THRU

SAFE KEEPING: Galvanized steel construction keeps small animals such as goat kids, calves and other smaller animals safely confined.

BUILD YOUR OWN: The 5' and 10' panels, as well as Walk-Thrus allow for maximum versatility. Attach multiple units to create any size pen.

STRONG & DURABLE: Made with high-quality galvanized steel for years of worry-free use.



DESCRIPTION	ITEM #	HEIGHT	LENGTH	APPROX. WEIGHT
5' Kidding Pen Panel w/Hardware	KP5	52"	5'	27 lbs
10' Kidding Pen Panel w/Hardware	KP10	52"	10'	50 lbs
5' Kidding Pen Walk-Thru	KPW5	7'	5'	60 lbs
Kidding Panel Pin	LPP	8"	3"	.75 lbs



PANEL & WALK-THRU

The ValuLine® Series features price performers that are perfect for any light-duty needs. Panels include straight end-post construction and our E-coat finish for added durability. All welds are continuous-welded saddle joints constructed with 1½" tubing - making these products easy to handle and affordable.



DESCRIPTION	RED ITEM #	BROWN ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Valu-Line 5-Bar 12' Corral Panel	VLCR12	VLCBR12*	62"	1½"	12'	40 lbs
Valu-Line 5-Bar 4' Walk-Thru	VLWR4	VLWBR4*	8'	1½"	4'	41 lbs

VERTICAL BAR SMALL ANIMAL PANELS

SAFE KEEPING: Specially designed to keep small animals such as hogs and sheep safely confined, especially at events and shows.

BUILD YOUR OWN: The 6' panels and Walk-Thrus allow for maximum versatility. Attach multiple units together to create any size pen or combination of pens.

BUILT TARTER TOUGH: Made with high-quality 1½" tubing, and features our durable, corrosion-resistant e-coat finish.



DESCRIPTION	ITEM #	H	W	L	APPROX. WEIGHT
Heavy-Duty Vertical Bar Small Animal Panel 6'	VBSAPHD6*	36½"	1½"	72"	40 lbs
Heavy-Duty Vertical Bar Small Animal Walk-Thru 6'	VBSAWHD6*	84"	1½"	72"	57 lbs
Vertical Bar Small Animal Panel 6'	VBSAP6	36½"	1½"	72"	33 lbs
Vertical Bar Small Animal Walk-Thru 6'	VBSAW6	84"	1½"	72"	46 lbs

NOTE: Special lead time may apply to some products

**"THERE ARE A LOT OF OTHER
MANUFACTURERS OUT THERE BUT
I DON'T GET THE SAME QUALITY
WITH THEIR PRODUCTS
AS I DO WITH TARTER."**

- Tom Walls



A white cow with a tag numbered 1307 is the central focus of the image, standing in a field of dry grass. The cow is looking directly at the camera. The background is a soft-focus field of golden-brown grass. The overall tone is warm and natural.

CATTLE EQUIPMENT

Make working cattle easier with equipment that works as hard as you do. Tarter's innovative and extensive line saves you time while keeping you and your cattle safe.

TARTER'S CATTLEMASTER LINE OF SQUEEZE CHUTES PROVIDES YOU THE SAFEST, QUICKEST AND MOST CONSISTENT WAY TO WORK CATTLE.



THE HYDRAULIC CHUTE

Engineered with safety and convenience in mind for cattle operations that want the ease of hydraulics.

CATTLEMASTER SERIES 9

Great for Seedstock, Backgrounding, Feed lot, and other large operations working more than 50 cattle.



CATTLEMASTER SERIES 6

The perfect choice for cow-calf operators and mid-sized operations working 25-50 cattle.

CATTLEMASTER SERIES 3

The right fit if you have yearlings, small cows, and operations handling up to 25 cattle.



BIG ON FEATURES

No matter what size operation you have, the Cattlemaster line is the perfect solution for your herd.



	HYDRAULIC	SERIES 9	SERIES 6	SERIES 3
Side Exit Door				
Top-Side Access				
Upper Access Panels	Hinged, Removable	Hinged, Removable	Drop-down slam latch	Drop-down slam latch
Tailgate Style	Split Pivot	Split Pivot	Split Sliding	Vertical Sliding
Headgate	Hydraulic	Automatic	Manual or Automatic	Manual or Automatic
Removable Kick-Pan for low access				
Ratcheting Back-Up Bar				
Side Panel width Adjustment				
Adjustable Neck Extenders				
Perfect for	50+ head	50+ head	25-50 head	up to 25 head

NOTE: Special lead time may apply to some products



**CATTLE
MASTER**
HYDRAULIC
SERIES 12

39

**"TARTER'S HYDRAULIC
CHUTE HAS CUT OUR TIME
WORKING CATTLE IN HALF."**

- Toby Jordan
Wakaru Farms, IN

CATTLEMASTER HYDRAULIC CHUTE

UNIQUELY DESIGNED AND ENGINEERED TO BOOST PRODUCTIVITY. THIS CHUTE MAKES IT EASIER ON YOU BY DOING ALL THE HEAVY LIFTING.



SAFE



HYDRAULIC



READY TO WORK



TARTER TOUGH

Tarter's Hydraulic Chute is built with high-quality powder coated steel, engineered to give you maximum control, and designed to reduce pressure points on livestock for safe, easy low-stress cattle handling. The headgate, squeeze function, and rear gate are all hydraulic and controlled from one spot. You'll like the hinged, removable side access and bottom panels so livestock access is quick and safe. Getting started with this chute is simple, find a 110-volt power source or 4,000 watt generator with a 30 amp breaker and you're good to go. Tarter's Hydraulic Chute is perfect for high volume cattle operations that want the ease of hydraulics and the benefits it brings.

ITEM #

CMHC12

HEIGHT

96"

WIDTH

53"

LENGTH

113"

APPROX. WEIGHT

1900 lbs

Minimum operating area: 93"h x 133"w x 113"l

Maximum interior dimensions: 66"h x 31"w x 95"l

FAST. SAFE. EASY.

SETTING UP OUR HYDRAULIC CHUTE IS EASY - ALL YOU NEED IS A 110V POWER SOURCE OR 4000W GENERATOR WITH A 30A BREAKER TO START WORKING.



WIDE FLEXIBLE PANELS FOR EASY ACCESS TO ANIMAL'S NECK

SIDE PANEL OPENS, PROVIDING ANOTHER EXIT OPTION



ADJUSTABLE NECK EXTENDERS KEEP YOU SAFE

PIVOT POINTS AT HEAD AND TAIL GATES ARE SPREAD WIDE FOR EASY ANIMAL ACCESS



STAND IN ONE PLACE TO WORK TAILGATE, HEADGATE, AND SQUEEZE FUNCTION



HINGED, REMOVABLE UPPER PANELS FOR BRANDING, VACCINATING, AND WORMING.



A RATCHETING "BACKUP BAR" ALLOWS YOU TO MOVE ANIMALS FORWARD SAFELY



REMOVABLE KICKPAN FOR EASY LOW ANIMAL ACCESS



ATTLE MASTER
HYDRAULIC

TARTER
FARM AND RANCH EQUIPMENT

CATTLEMASTER SERIES 9

TARTER
FARM AND RANCH EQUIPMENT

FEATURES A STURDY POWDER-COATED STEEL FRAME THAT'S PERFECT FOR THE RIGORS OF HIGH VOLUME LIVESTOCK HANDLING OPERATIONS WORKING MORE THAN 50 HEAD OF CATTLE

CATTLEMASTER SERIES 9

SQUEEZE CHUTE

Great for Seedstock, Backgrounding, Feed lot, and other large operations working more than 50 cattle.



EASY PULL SQUEEZE MECHANISM: Safely apply pressure to livestock, keeping them safe while you work.



SIDE EXIT OPTIONS: Side panel that becomes another exit for livestock.



REMOVABLE TOP AND BOTTOM PANELS: Allowing quick and easy access for branding, vaccinating and deworming.



AUTOMATIC SPRING-CUSHIONED HEADGATE: Catches livestock, then automatically resets for the next round.



ADJUSTABLE SIDE PANEL ASSEMBLY: Easily adapts from calves to bulls.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CMSCA9	88"	52"	111"	1650 lbs

*Minimum operating area: 112"h x 105"w x 109"l
Maximum interior dimensions: 62"h x 39"w x 98"l*

CATTLEMASTER SERIES 6



WHAT YOU'VE WANTED AND NEEDED TO WORK CATTLE QUICKLY,
AND SAFELY AT MEDIUM-SIZED LIVESTOCK OPERATIONS

CATTLEMASTER SERIES 6

SQUEEZE CHUTE

The perfect choice for cow-calf operators and mid-sized operations working 25-50 cattle.



SECURE SQUEEZE MECHANISM: Safely apply pressure to livestock, keeping them safe while you work.




SIDE EXIT: Side panel assembly opens, providing an exit for larger livestock.



Side panels easily adjust to working various sizes of livestock.



Upper panels drop down for access to livestock.



Removable kick pan for lower access.

DESCRIPTION

CattleMaster Series 6 Squeeze Chute w/Auto Headgate

CattleMaster Series 6 Squeeze Chute w/Manual Headgate

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CMSCA6	93"	48"	105"	1605 lbs
CMSCM6	93"	52"	105"	1503 lbs

Minimum operating area: 94"h x 106"w x 113"
Maximum interior dimensions: 62"h x 251"w x 87"

NOTE: Special lead time may apply to some products



CATTLEMASTER SERIES 6 MANUAL HEADGATE



Pull a simple lever on the manual headgate to keep the livestock's head restrained. The optional nose bar adds even more protection for your safety.



Nose Bar

DESCRIPTION

CattleMaster Series 6
Manual Headgate

Nose Bar

***Only for use with Series 6
Manual headgate**

ITEM # H W L APPROX. WEIGHT

CMMH6 79" 51" 10" 262 lbs

NB* 5½" ¾" 45" 40 lbs

**Built-to-order product requiring additional lead time*

CATTLEMASTER SERIES 6 AUTOMATIC HEADGATE



The automatic headgate does the catching for you and is easily adjustable to work with various livestock sizes.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CMAH6	81½"	46"	15"	343 lbs



CATTLEMASTER SERIES 3



THE FASTEST, SAFEST, AND MOST ECONOMICAL SOLUTION FOR
SMALLER CATTLE OPERATIONS

CATTLEMASTER SERIES 3

SQUEEZE CHUTE

The right fit if you have yearlings, small cows, and operations handling up to 25 cattle.



SECURE SQUEEZE MECHANISM: Safely apply pressure to livestock, keeping them safe while you work.



SIDE EXIT: Side panel assembly opens, providing an exit for larger livestock.



Vertical tailgate features triangular pull handle for easy operation.



Upper panels drop down for access to livestock.



Removable kick pan for easy access.

DESCRIPTION

CattleMaster Series 3 Squeeze Chute w/Auto Headgate

CattleMaster Series 3 Squeeze Chute w/Manual Headgate

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CCA	112"	95"	109"	1035 lbs
CCM	112"	105"	109"	985 lbs

Minimum operating area: 112"h x 105"w x 109"l
Maximum interior dimensions: 55"h x 26"w x 87"l

NOTE: Special lead time may apply to some products



CATTLEMASTER SERIES 3 MANUAL HEADGATE



An easy to use catch lever makes working cattle simple.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CMH	79"	51"	10"	262 lbs

CATTLEMASTER SERIES 3 AUTOMATIC HEADGATE



The automatic headgate does the catching for you and is easily adjustable to work with various livestock sizes.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CAH	71 $\frac{3}{4}$ "	46"	15"	343 lbs



CHUTE ACCESSORIES

FOR CATTLEMASTER SERIES SQUEEZE CHUTES

PALPATION CAGE

DUAL ENTRY: Doors on both sides open into the alley for safe and convenient access to the back of livestock.

SAFE & SECURE: For maximum safety each door has a locking spring-loaded slam latch.

SMART DESIGN: Sheeted steel doors restrict cattle's view, reducing stress and eliminating trap points.

CATTLEMASTER COMPATIBLE: Easily attaches to all Tarter Squeeze Chutes.



ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
SPC	78"	32"	32"	185 lbs

WHEEL KIT

QUICK AND DURABLE: Use the 2-way winch to easily load and unload your chute from the heavy-duty boxed steel frame.

CATTLEMASTER COMPATIBLE: Works with all Tarter CattleMaster Squeeze Chutes.

TARTER TOUGH: Features our durable, corrosion resistant finish for maximum longevity.

Ground speed not to exceed 30 mph.



ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
WK	38"	56"	158"	400 lbs

**"WE REALLY LIKE THE TARTER
PRODUCTS. THEY HOLD UP WELL,
THEY'RE ECONOMICAL, AND THEY'RE
EASY TO FIND. WE'VE REALLY HAD
GOOD LUCK WITH THEM."**

- Mark Wade





CATTLEMASTER SWEEP SYSTEMS

UNIQUELY DESIGNED AND ENGINEERED TO BOOST PRODUCTIVITY WHILE MAXIMIZING SAFETY AND EFFICIENCY. BOTH THE OPEN AND SHEETED OPTIONS PROVIDE A HEAVY-DUTY SOLUTION TO MAKE WORKING CATTLE FAST, SAFE, AND STRESS-FREE.



TARTER TOUGH



VERSATILE



SAFE



CONNECT

Getting livestock to your squeeze chute with the least amount of stress possible makes a big impact on profits, and safety. Tarter's Sweep Systems provide a low-stress environment which can mean improved weight gain for livestock and better chances of fighting off disease. Each system is built "Tarter Tough" with heavy-duty, high-quality powder-coated steel and can be configured to fit your needs. This setup connects seamlessly to Tarter's line of squeeze chutes and can be customized with options like a Palpation Cage and Sliding Alley Cut Gate. Tarter's Sweep Systems come complete with a 20' alley and your choice of a 180° or 120° sweep tub - A smart investment that will maximize productivity and profits for years to come.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
180° Cattlemaster Sheeted Sweep System	SSS	86"	21'	31'6"	2750 lbs
180° Cattlemaster Open-Sided Sweep System	OSS	86"	21'	31'6"	1900 lbs
120° Cattlemaster Sheeted Sweep System	SSS120*	86"	21'	31'6"	2432 lbs
120° Cattlemaster Open-Sided Sweep System	OSS120*	86"	21'	31'6"	1680 lbs

CATTLEMASTER SWEEP SYSTEM

SAFE, EFFICIENT, & STRESS-FREE - THE TARTER SWEEP SYSTEM OFFERS THE IDEAL SOLUTION FOR ANY SIZE CATTLE OPERATION. SIX DIFFERENT CONFIGURATIONS ALLOW YOU TO SET UP THE SYSTEM IN A WAY THAT WORKS BEST FOR YOU.



A SWEEP SYSTEM ISN'T COMPLETE WITHOUT A SOLUTION FOR CONTAINMENT AND CONFINEMENT. WE HAVE SOME OF THE TOUGHEST PRODUCTS AVAILABLE WITH OUR SUPER-STOCK LINE OF PANELS AND WALK-THRUS. SEE PG 20



RUGGED 7-BAR DESIGN PROVIDES SUPERIOR STRENGTH AND RIGIDITY



SHEETED OPTION RESTRICTS CATTLE'S VIEW - REDUCING STRESS AND PREVENTING FOOT TRAPS FOR ROWDIER LIVESTOCK



**20 FOOT ALLEYS ARE QUICKLY
ADJUSTABLE TO ACCOMMODATE
CATTLE OF ANY SIZE**


**OPTIONAL NO-BACK ALLEY STOP
PREVENTS CATTLE FROM BACKING
UP IN THE ALLEY**

**OPTIONAL SLIDING ALLEY CUT
GATE PROVIDES AN EASY WAY TO
ISOLATE LIVESTOCK IN THE ALLEY**

**AFTER CATTLE ARE LED INTO THE
180° SWEEP TUB, SAFELY PUSH THEM
ALONG WITH THE SWEEP PEN GATE**



STANDARD SWEEP SYSTEM CONFIGURATION





This parts list includes all parts needed for configurations A, B, C, and D.


DESCRIPTION	ITEM #	QTY. SHIPPED	QTY. USED
Adjustable Alley Arch - One Way	AAA1	1	1
Straight 10' Alley Panel (Open/Sheeted)	SAP10/SSAP10	4	4
Adjustable Alley Arch - Two-Way	AAA2	1	1
Straight 10' Alley Entry Panel w/Arch (Open/Sheeted)	SAPA10/SSAPA10	1	1
Center Arch Assembly	CAA	1	1
Secondary Arch Assembly	SAA	2	2
Curved Sweep Panel (Open/Sheeted)	CSP/CSSP	3	3
Sweep Pen Gate (Open/Sheeted)	SPG/SSPG	1	1
Sweep Gate Latch (Open/Sheeted)	SGL/SSGL	1	1
Attachment Rods	AR	3'	3'

**Only 2 Attachment Rods will be used if sweep system is installed in conjunction with a Tarter Squeeze chute*

Area required for complete assembly: 21' x 31' 6"



STRAIGHT LEAD-IN SWEEP SYSTEM CONFIGURATION




This parts list includes all parts needed for configurations E and F. These configurations will provide a 10' alley as shipped. If a 20' alley is desired, additional parts will need to be ordered.

DESCRIPTION	ITEM #	QTY. SHIPPED	QTY. USED
Adjustable Alley Arch - One Way	AAA1	1	1
Straight 10' Alley Panel (Open/Sheeted)	SAP10/SSAP10	4	3 - 10' alley 5 - 20' alley
Adjustable Alley Arch - Two-Way	AAA2	1	1 - 10' alley 2 - 20' alley
Straight 10' Alley Entry Panel w/Arch (Open/Sheeted)	SAPA10/SSAPA10	1	1
Center Arch Assembly	CAA	1	1
Secondary Arch Assembly	SAA	2	2
Curved Sweep Panel (Open/Sheeted)	CSP/CSSP	3	3
Sweep Pen Gate (Open/Sheeted)	SPG/SSPG	1	1
Sweep Gate Latch (Open/Sheeted)	SGL/SSGL	1	1
Attachment Rods	AR	3	3"

*If 20' alley is desired for straight lead in, order 1 additional SAP10/SSAP10; and 1 additional AAA2

**Only 2 Attachment Rods will be used if sweep system is installed in conjunction with a Tarter Squeeze chute


**Area required for complete assembly:
11' 3" x 31' 10"**





VALUE 90 SWEEP SYSTEM

DESIGNED FOR SMALLER HERDS AND SETUP AREAS; THIS VERSATILE SOLUTION IS FAST, STRESS-FREE, AND SAFE



SAFE SWEEP: After cattle are lead into the 90° Sweep Tub, safely push them along the alley with the Sweep Pen Gate.

10 FT ALLEY: Easily attaches to a Tarter palpation cage, or CattleMaster Squeeze Chute.

EASY SET UP: Simple construction allows for quick setup without the use of specialty tools.*

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
90ST	88"	11'	21"	586 lbs

To purchase individual components of our sweep systems, please contact a Tarter representative

**Tools required to reverse the direction of the sweep gate latch if inverse setup is desired.*

MATERNITY PEN

THE SAFEST PLACE FOR YOU AND YOUR LIVESTOCK DURING THE CALVING SEASON



HALF-CIRCLE PEN: Swiftly move cattle to the headgate with no corners to hide in for stressed livestock.

SWEEP GATE: Allows handler to secure livestock in headgate while preventing them from pushing against the operator.

AUTO HEADGATE: Self-catches so you can safely stay outside of the pen.

EZ ACCESS: Split side panels offer top and bottom doors for convenient access.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
MP1	85"	167 ½"	129 ½"	1095 lbs



CATTLEMASTER SWEEP SYSTEM ACCESSORIES



ALLEY PANEL WITH CUT GATE

FLEXIBLE: Gate opens either direction and includes a spring-loaded auto latch to lock the door closed.

PERFECT MATCH: Available in a sheeted, and open-side version to match your sweep system.

NOTE: Not for use with the Value 90 Sweep System

DESCRIPTION

Alley Panel with Cut Gate

ITEM

APWCGR

HEIGHT

76"

WIDTH

2"

LENGTH

121"

APPROX. WEIGHT

175 lbs

Alley Panel with Cut Gate (Sheeted)

SAPWCGR

76"

2"

121"

306 lbs

SLIDING ALLEY GATE

SMOOTH OPERATOR: Efficient top-mounted ball-bearing rollers for smooth operation and a spring-loaded auto latch to lock the door closed.

QUICK SORT: Use to separate animals in the alley; also limits cattle's vision - helping to keep livestock calm.



ITEM

SCG

HEIGHT

80"

WIDTH

8"

LENGTH

74"

APPROX. WEIGHT

175 lbs

NO BACK ALLEY STOP



HARD STOP: Easily adjusted to make sure bulls, cows or calves won't back up or turn around in the alley.

UNIVERSAL: Adjustable mounting system allows you to use this accessory with the alley of ANY brand sweep system.



ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
NBAS	6"	27"	50"	42 lbs

UNIVERSAL HOOKUP BAR

Provides a fast, easy way to connect nearly any brand squeeze chute to a Tarter Sweep System. Also allows you to connect Tarter Gates and Panels with other brands.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
UHUB	63"	6½"	8½"	17 lbs



ATTACHMENT ROD

Can be used in conjunction with universal hookup bars - providing a fast, easy way to connect nearly any brand squeeze chute to a Tarter Sweep System. Also allows you to connect Tarter Gates and Panels with other brands.



ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
AR	4"	¾"	63"	5 lbs

**"YOU GOTTA HAVE SOMETHING
THAT WILL HOLD UP AND TAKE
THE PRESSURE..."**

*- Mike McCravy
MM Cattle Co., GA*



SUPER-STOCK

PANELS, WALK, RIDE, & DRIVE-THRUS


When cattleman Mike McCravy decided to build a new sale barn, he knew he needed the strongest and most heavy-duty solution available. The Super-Stock line from Tarter Farm & Ranch features heavy gauge tubing and innovative construction - providing you with the most robust cattle-handling solution on the market.



Endlessly configurable to meet your exact needs, with a wide variety of sizes and hook-up options available.



Pass-through panels feature heavy-duty double-latch.



CONTACT A TARTER REPRESENTATIVE TO DISCUSS YOUR PROJECT!
See page 21 or 211 for more information on Super-Stock components.

NOTE: Special lead time may apply to some products




TARTER


TARTER

GATES, PANELS & WALK-THRUS

Whether you are separating pastures, creating a crowding pen, or configuring a new cattle handling setup - Tarter has the perfect solution. Our wide variety of sizes, styles, and colors provide endless options.



FIND OUR FULL OFFERING IN THE GATES, PANELS, AND WALK-THRUS SECTION. (PG 7 - 30)



NOTE: Special lead time may apply to some products

CATTLE FEEDERS

Choosing the right feeder means safety, durability and saving you money! Tarter Farm & Ranch Equipment has you covered with the largest variety of high quality, American-made cattle feeders.

ROUND BALE FEEDERS



TITAN TALL BULL FEEDER The tallest, toughest feeder around. *see page 66*



TITAN BULL FEEDER Versatile design feeds bulls, cows, and calves. *see page 67*



TITAN CATTLE FEEDER Three reliable, durable options that easily handle the herd at mealtime. *see page 67*



STEALCOR CATTLE FEEDER Strategically designed to stand up to the rowdiest crowd. *see page 68*



GALVANIZED CRADLE BALE FEEDER

An all-access feeding solution for all livestock. *see page 68*



VALULINE CATTLE BALE FEEDER

Designed for safe and efficient feeding for smaller livestock. *see page 69*

ROUND & SQUARE BALE FEEDERS



CATTLE FLEX FEEDER Designed to compress as hay bales are consumed. *see page 70*



CATTLE FENCE LINE FEEDER PANELS Creates a more manageable mealtime situation. *see page 71*

SQUARE BALE FEEDERS



LARGE SQUARE BALE CATTLE FEEDER Uniquely designed to prevent hay waste. *see page 72*

ROUND BALE FEEDERS



TITAN TALL BULL FEEDER

3-PIECE SUPER ROUND BALE FEEDER

THE TALLEST, TOUGHEST FEEDER AROUND.

BIG & TALL: The 51" height allows feeding large round bales to the largest herd animals with ease.

TOUGH & DURABLE: Thick steel tubing and corrosion-resistant finish will handle your toughest herd of hungry cattle.

SUPER HAY SAVER: At 19" - it's one of the tallest hay savers around, meaning less waste.

Comes with nuts and bolts. Not recommended for horses.



ITEM #
TBF

HEIGHT
51"

DIAMETER
8'

HAY SAVER
19"

APPROX. WEIGHT
224 lbs

TITAN BULL HAY FEEDER

3-PIECE HEAVY-DUTY BULL HAY FEEDER

TOUGH AND VERSATILE ENOUGH TO FEED LARGE ROUND BALES TO BULLS, CATTLE, AND CALVES OF ALL SIZES.

HERD BULL STURDY: Thick steel tubing and corrosion-resistant finish will handle the toughest herd.

S-BAR DESIGN: Helps prevent calves from getting inside.

HAY SAVER: 17" tall - less waste means saving big.
Comes with nuts and bolts. Not recommended for horses.



ITEM #	HEIGHT	DIAMETER
HDBHF	45"	8'

HAY SAVER	APPROX. WEIGHT
17"	234 lbs

TITAN CATTLE FEEDER

3-PIECE S-BAR HAY FEEDER

THREE RELIABLE OPTIONS FEATURE DURABLE, HEAVY DUTY STEEL. THESE FEEDERS EASILY HANDLE THE HERD AT MEALTIME.

S-BAR DESIGN: Helps prevent calves from getting inside.

AVAILABLE HAY SAVER: 17" tall - less waste means saving big.

GALVANIZED OPTION: Features a rust-resistant coating for extra durability.

Comes with nuts and bolts. Not recommended for horses.



DESCRIPTION	ITEM #	HEIGHT	DIAMETER	HAY SAVER	APPROX. WEIGHT
Titan Cattle Feeder	RF	45"	8'	—	120 lbs
Titan Cattle Feeder with Hay Saver	RFM	45"	8'	17"	168 lbs
Titan Cattle Feeder - Galvanized	GFOE	45"	8'	—	108 lbs

NOTE: Special lead time may apply to some products



STEELCOR CATTLE FEEDER

2-PIECE HEAVY-DUTY SLANT BAR HAY FEEDER

STRATEGICALLY DESIGNED TO STAND UP TO THE ROWDIEST CROWDS AT MEALTIME.

SUPERIOR STRENGTH: One of our most popular feeders because of its resilience in high-pressure, heavy-use environments.

ROCK SOLID DESIGN: Prevents calves from getting inside.

STRONG & DURABLE: High-tensile tubing and powder-coat finish provides an ideal solution for feeding large round bales.

Comes with nuts and bolts. Not recommended for horses.

ITEM #	HEIGHT	DIAMETER	APPROX. WEIGHT
14G20	45"	8'	185 lbs

GALVANIZED CRADLE BALE FEEDER

AN ALL-ACCESS FEEDING SOLUTION FOR ALL LIVESTOCK. STRETCH YOUR HAY AND YOUR DOLLAR FURTHER.

UNIQUE DESIGN: Keeps hay off the ground to minimize waste.

STURDY & DURABLE: Strong enough to handle the rowdiest crowds at mealtime with thick 1³/₄" tubing.



REMOVABLE PANEL: Makes loading round bales a breeze.

TARTER TOUGH: Galvanized finish and a rust resistant coating provide superior durability.

Comes with nuts and bolts.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
CBFG	45"	78 ¹ / ₂ "	84 ¹ / ₂ "	134 lbs



CATTLE BALE FEEDERS

DESIGNED FOR THE EFFICIENT AND SAFE FEEDING OF SMALLER LIVESTOCK.

STURDY & DURABLE: Lightweight yet durable. Constructed of high-quality steel.

SLANT BAR DESIGN: Prevents calves from getting inside.

GALVANIZED OPTION: Features a rust-resistant coating for extra protection.

Comes with nuts and bolts. Not recommended for livestock in excess of 600 lbs. Not recommended for horses.



DESCRIPTION

ValuLine Cattle Bale Feeder

ITEM #

VLRBF

HEIGHT

45"

DIAMETER

8'

APPROX. WEIGHT

99 lbs

ValuLine Cattle Bale Feeder - Galvanized

GVLRF

45"

8'

99 lbs

"IT'S SO IMPORTANT TO CHOOSE THE RIGHT FEEDER FOR YOUR HERD AND TARTER HAS YOU COVERED. THEY HAVE OPTIONS FOR EVERY SITUATION"

- Zach Kersey
Hustonville, KY





CATTLE FLEX FEEDER

DESIGNED TO COMPRESS AS HAY BALES ARE CONSUMED;
DOWN TO THE LAST BITE.

UNIQUE FLEX DESIGN: This feeder compresses as the cattle eat - ensuring little to no hay waste.

DUAL CONFIGURATION: Will accommodate round or large square bales.

EXPANDABILITY: Add additional panels to suit your herd size.

Comes with nuts and bolts. Not recommended for horses.



ITEM #	HEIGHT	WIDTH	LENGTH	FLEX LENGTH	HAY SAVER	APPROX. WEIGHT
FFCT	45"	8'	8'	16'	17"	265 lbs



FENCE LINE FEEDER PANELS

SET UP THESE PANELS IN FRONT OF BUNK FEEDERS OR TROUGHS FOR A MORE MANAGEABLE MEALTIME SITUATION.



MULTIPLE FEEDING OPTIONS & LOCATIONS:

Feed square or round bales, loose hay or silage in barns, sheds, fence lines or corners.

TOUGH & RELIABLE: 2" steel tubing and corrosion-resistant finish means it will handle the rowdiest of crowds at mealtime.

QUICK PIN INCLUDED: Connects panels together to create a square bale feeder or continuous fence line feeding solution.

DESCRIPTION	ITEM #	H	W	L	OPENINGS	HAY SAVER	APPROX. WEIGHT
10' Fence Line Feeder Panel	2FSR10	50"	2"	10'	5	—	83 lbs
12' Fence Line Feeder Panel	2FSR12	50"	2"	12'	6	—	96 lbs
6' Fence Line Feeder Panel w/ Hay Saver	2FSWG6	50"	2"	6'	3	17"	83 lbs
10' Fence Line Feeder Panel w/ Hay Saver	2FSWG10	50"	2"	10'	5	17"	97 lbs
12' Fence Line Feeder Panel w/ Hay Saver	2FSWG12	50"	2"	12'	6	17"	114 lbs
16' Fence Line Feeder Panel w/ Hay Saver	2FSWG16	50"	2"	16'	8	17"	152 lbs

NOTE: Special lead time may apply to some products



LARGE SQUARE BALE FEEDER

UNIQUELY DESIGNED TO PREVENT HAY WASTE. BUILT TOUGH FOR YEARS OF USE.

SUPER SIZED: Big enough to handle large 4'x8' square bales.

SUPER STRONG: 2" steel tubing and a corrosion resistant finish means it will handle the rowdiest of crowds at mealtime.

V-BAR DESIGN: Prevents cattle from pulling out of feeder quickly - allowing them to eat safely and preventing hay loss.

HAY SAVER: 14-gauge construction allows cattle to eat safely while preventing hay loss.

Comes with nuts and bolts. Not recommended for horses.



ITEM #	HEIGHT	WIDTH	LENGTH	HAY SAVER	APPROX. WEIGHT
LSBF	51¼"	88½"	137¾"	19"	224 lbs

BUNK FEEDERS



TARTER
FARM AND RANCH EQUIPMENT

BUNK FEEDERS ARE A SIMPLE AND EFFICIENT WAY TO MANAGE FEEDING LARGE GROUPS OF LIVESTOCK. TARTER'S SELECTION OF BUNK FEEDERS CAN ACCOMMODATE THE YOUNGEST CALVES TO THE TOUGHEST BULLS



METAL GRAIN FEEDER

THE HEAVIEST, MOST RUGGED BUNK FEEDER AROUND. DESIGNED TO STAND UP TO THE LARGEST LIVESTOCK AND HARSH ENVIRONMENTS.

GRAIN BUFFET: 10' length is ideal for serving any size herd at mealtime.

STURDY & DURABLE: Built with 14-gauge steel and heavy-duty legs; making this feeder one of the strongest bunk feeders on the market.

TARTER TOUGH: Corrosion-resistant finish make this feeder a smart investment.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	BUNK DEPTH	APPROX. WEIGHT
Metal Grain Feeder	MGF	21"	28"	10'	6.75"	110 lbs

TITAN POLY BUNK FEEDER

HEAVY-DUTY POLY BUNK FEEDER

THE BEST SOLUTION FOR FEEDING LIVESTOCK MORE THAN 600 LBS. CHOOSE FROM THE 5' OR 10' VERSION.

STRONG & DURABLE: Heavy gauge steel tubing and extra bracing to take abuse at mealtime.

TARTER TOUGH: Replaceable poly liner provides durability as well as animal safety.

ADDED VALUE: Optional hay rack provides an easy way to feed both hay and grain.




POLY BUNK FEEDER

THE IDEAL CHOICE FOR LIVESTOCK UNDER 600 LBS AND IS EASY TO MOVE.

RELIABLE & STURDY: Thick steel tubing and a strong frame for a reliable feeding solution.

TARTER TOUGH: Galvanized finish and replaceable poly liner for extended life and added durability.

ADDED VALUE: Optional hay rack provides an easy way to feed both hay and grain.



HAY RACKS

FOR POLY BUNK FEEDERS

FEED SIMPLY: Simple construction allows you to easily feed hay and grain simultaneously.

TARTER TOUGH: Galvanized finish provides strength and durability.

CHOOSE YOUR SIZE: 5' and 10' lengths pair perfectly with our poly bunk feeders.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	BUNK DEPTH	APPROX. WEIGHT
5' Titan Poly Bunk Feeder	1PB5	19"	28"	5'	6.75"	40 lbs
5' Titan Galv Poly Bunk Feeder	1PGB5	19"	28"	5'	6.75"	40 lbs
10' Titan Poly Bunk Feeder	1PB10	19"	28"	10'	6.75"	62 lbs
10' Poly Bunk Feeder	1PEB10	19"	28"	10'	6.75"	52 lbs
5' Hay Rack for Bunk Feeders	HR5	33 ³ / ₈ "	28"	5'	—	48 lbs
10' Hay Rack for Bunk Feeders	HR10	33 ³ / ₈ "	28"	10'	—	68 lbs
5' Poly Bunk Liner	1PBL5	7"	28"	5'	6.75"	8 lbs
10' Poly Bunk Liner	1PBL10	7"	28"	10'	6.75"	15 lbs

NOTE: Special lead time may apply to some products

CREEP FEEDERS



TARTER'S HIGH-QUALITY LINE OF CREEP FEEDING OPTIONS ARE A GREAT WAY TO ENSURE CALVES GET THE NUTRITION THEY NEED IN THE WEANING PROCESS.



FEEDMASTER 165 CREEP FEEDER

FOR THE COW-CALF OPERATOR THAT FEEDS IN BULK IN VARIOUS LOCATIONS

MAX CAPACITY: Holds 4 tons of feed and can be moved from pasture to pasture with built-in tongue and wheels.

USER FRIENDLY: Open the feed door and a simple turn of the crank ensures the even flow of feed.

STRONG & STURDY: Heavy-duty cages feature extra bracing for added durability and prevents larger animals from entering.

Ground speed not to exceed 30 mph.



ITEM #	FM165WC
APPROX. CAPACITY	8,000 lbs
CAGE DIMENSIONS	101.5"l x 58"w x 44.5"h
STALLS	10
CALF STALL WIDTH	17.5"
HEIGHT	8'3"
TOP WIDTH	8'
BOTTOM WIDTH	73"
OVERALL LENGTH	11'1" w/tongue; 8' w/o tongue
OVERALL WIDTH	14'5" (Cages down)
FEED TROUGH	95"l x 14"w x 7"d (each side)
APPROX. EMPTY WEIGHT	1,930 lbs

NOTE: Special lead time may apply to some products



CALF CREEP FEEDERS

CROWD CONTROL: The attached cage allows calves to access feed through openings that are large enough for them, but too small for cows to access.

CLEAN & DRY: This unit is designed to protect feed from the elements with enough capacity for a week's worth of feed for 30 calves.

EASY ACCESS: An adjustable gate bar accommodates calves of various sizes.

DESCRIPTION	ITEM #	H	W	L	APPROX. CAPACITY	FEED TROUGH	CALF STALL	FEEDING CAGE	NO. OF STALLS	APPROX. WEIGHT
Calf Creep Feeder 650	C65F	48"	37"	50"	650 lbs	50"x9"x6"	14½"w	65"x43"	4	267 lbs
Calf Creep Feeder 1000	C10F	48"	37"	76"	1000 lbs	76"x9"x6"	17"w	92"x43"	5	340 lbs

CREEP FEEDER PANELS

CALF-ONLY ACCESS: 18" panel openings restrict larger livestock from accessing feed in pastures, barns or sheds.

STANDING TALL & STRONG: At 51" tall and 2" thick tubular steel, these panels can stand up in high-pressure feeding situations.

CUSTOMIZABLE: Adjust the horizontal bar to change which calves can enter to access feed.



DESCRIPTION	ITEM #	H	W	L	CALF OPENING	NO. OF STALLS	APPROX. WEIGHT
10' Creep Feeder Panel	2RRCF10	51"	2"	10'	18"	6	91 lbs
12' Creep Feeder Panel	2RRCF12	51"	2"	12'	18"	7	109 lbs

MINERAL FEEDERS



ENSURING LIVESTOCK HAVE ADEQUATE MINERAL INTAKE IS ESSENTIAL FOR REPRODUCTION, MILK PRODUCTION, AND OVERALL HEALTH. TARTER HAS THE SOLUTION WITH A LARGE VARIETY OF TOUGH, WEATHER RESISTANT FEEDERS THAT PREVENT MINERAL FROM GOING TO WASTE



SUPER - DUTY MINERAL FEEDER

STURDY & TOUGH: 28"x24" opening holds 100 lbs of mineral. A 360° turning radius means easy livestock access, while preventing mineral loss.

HERD READY: 2" heavy-duty steel base provides superior durability and easy portability.



FLY AWAY: Place the optional face fly applicator kit inside the pre-drilled feeder opening for a quick and easy fly control solution.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
Super-Duty Mineral Feeder	SDMF	58½"	48"	51½"	100 lbs	76 lbs
Face Fly Applicator Kit	FFAK	24"	5"	24"	1.5 gal	4 lbs

ELEVATED BROAD POLY VANE MINERAL FEEDER

TARTER TOUGH: Durable poly feed pan can hold up to 50 lbs of mineral.

WEATHER RESISTANT: Large poly cover helps protect mineral from the elements - minimizing waste.

EASY ACCESS: Vane assembly swivels 360° for easy livestock access.



ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
TMF	54"	46"	46"	50 lbs	45 lbs



GROUND LEVEL MINERAL FEEDERS

TARTER'S SELECTION OF HEAVY-DUTY POLY FEEDERS MAKE IT EASY FOR LIVESTOCK TO ACCESS MINERAL ON THE GROUND WHILE PREVENTING WASTE.

ALL ACCESS: Weatherproof poly lid raises easily for livestock access.

24/7 PROTECTION: Poly lid stays closed until needed, while the low, wide construction prevents tipping and waste.

SERVING OPTIONS: Tub features three compartments - allowing you to feed multiple types of mineral simultaneously.

PORTABILITY: Easy to move from pasture to pasture or anchor to the ground.



DESCRIPTION	ITEM #	CAPACITY	BASE DIA.	LID DIA.	HEIGHT	APPROX. WEIGHT
Ground Level 100 Mineral Feeder	SBMF	100 lbs	38"	35½"	7"	23.5 lbs
Ground Level 150 Mineral Feeder	BMF	150 lbs	45"	40"	14"	40 lbs
Ground Level 200 Mineral Feeder	GLMF	200 lbs	37"	40¾"	15"	54 lbs

NOTE: Special lead time may apply to some products

**"I'VE USED YOUR EQUIPMENT AND I WANTED TO
THANK YOU FOR MAKING A SOLID PRODUCT
THAT HAS HELD UP EVERY YEAR. I KNOW THAT
NO MATTER THE CONDITIONS, YOUR PRODUCT
WILL HOLD UP AND LIVE UP TO THE BRAND
NAME."**

*- Clay Hunger
Greensburg, IN*





EQUINE EQUIPMENT

Care for your horses with a one-of-a-kind stall or America's most popular equine feeders. Tarter's line of Equine Equipment will keep your horses safe and secure.



ELITE EXCEL HORSE STALL

WITH EXCLUSIVE E-Z FEEDER DOOR

E-Z FEEDER DOOR: Allows you to feed your horse in its natural feeding position without entering the stall.

REVERSIBLE ENTRY DOOR: Can easily be mounted on the right or left side of the front panel.

SELF-LOCKING DOOR LATCH: For added convenience and piece of mind.

GOSSIP GATE: Allows your horse to socialize while taking full advantage of the crossway breeze.



TARTER TOUGH



VERSATILE



SAFE



CONNECT

Tarter's Elite Excel Horse Stall is stylish, safe and ideal for any type of barn structure. 10' or 12' long panels; standing 7' tall make it easy to construct the perfect stall for your horse.

Easy stall brackets allow for one or multiple side-by-side units

- 4' wide sliding door with smooth-operating ball-bearing rollers
- Convenient small grain opening
- Recessed latches eliminate sharp protrusions
- Horizontal lumber kit (2" tongue and groove) sold separately
- Outer rail is 2" square, 14 gauge tube
- Vertical filler bars are 1" x 14 gauge spaced 2³/₄" apart to ensure horse safety
- Features our durable, corrosion-resistant powder coat brown finish

ELITE EXCEL HORSE STALL



12' Stall Side - HSSV12



12' Stall Side Solid - HSSS12

12' Elite Excel Stall Front with E-Z Feeder Door - HSFRF12

DESCRIPTION	ITEM #	HEIGHT	LENGTH	APPROX. WEIGHT
10' Elite Excel Stall Front with E-Z Feeder Door	HSFRF10	7'	117 ⁵ / ₈ "	255 lbs
10' Stall Side Vented	HSSV10	7'	117 ⁵ / ₈ "	160 lbs
10' Stall Side Solid	HSSS10	7'	117 ⁵ / ₈ "	120 lbs
12' Elite Excel Horse Front with E-Z Feeder Door	HSFRF12	7'	141 ¹ / ₂ "	275 lbs
12' Stall Side Vented	HSSV12	7'	141 ¹ / ₂ "	190 lbs
12' Stall Side Solid	HSSS12	7'	141 ¹ / ₂ "	130 lbs

Stalls do not include wood or other filler material. Stall brackets sold separately.

ELITE EXCEL HORSE STALL




STALL BRACKETS




2-Way Stall Bracket



3-Way Stall Bracket



4-Way Stall Bracket



Wall-Mount Bracket



DESCRIPTION

2-Way Stall Bracket Pair

3-Way Stall Bracket Pair

4-Way Stall Bracket Pair

Wall-Mount Bracket Pair

Horse Stall Door Roller

ITEM

SB2PSQ

SB3PSQ

SB4PSQ

SBWPSQ

SQHSRHD

APPROX. WEIGHT

3.5 lbs

6 lbs

8 lbs

2 lbs

0.5 lb



The integrated gossip gate provides a great way for your animals to socialize.



Tarter's Poly Corner Mount Hay Feeder is the perfect feeding companion for the Elite Excel horse stall. *see pg. 96*

LUMBER KIT



For Excel horse stalls only.

DESCRIPTION

10' Horizontal Lumber Kit Side Vented

10' Horizontal Lumber Kit Side Solid

10' Horizontal Lumber Kit Front (Elite Excel)

12' Horizontal Lumber Kit Side Vented

12' Horizontal Lumber Kit Side Solid

12' Horizontal Lumber Kit Front (Elite Excel)

ITEM

HLKSV10*

HLKSS10*

HLKFRF10*

HLKSV12*

HLKSS12*

HLKFRF12*

APPROX. WEIGHT

181 lbs

320 lbs

192 lbs

212 lbs

343 lbs

218 lbs

NOTE: Special lead time may apply to some products



EXCEL HORSE STALL

REVERSIBLE ENTRY DOOR: Can easily be mounted on the right or left side of the front panel.

SELF-LOCKING DOOR LATCH: For added convenience and piece of mind.

GOSSIP GATE: Allows your horse to socialize while taking full advantage of the crossway breeze.



TARTER TOUGH



VERSATILE



SAFE



CONNECT

Tarter's Excel Horse Stall is stylish, safe and ideal for any type of barn structure. 10' or 12' long panels; standing 7' tall make it easy to construct the perfect stall for your horse.

Easy stall brackets allow for one or multiple side-by-side units

- 4' wide sliding door with smooth-operating ball-bearing rollers
- Convenient small grain opening
- Recessed latches eliminate sharp protrusions
- Horizontal lumber kit (2" tongue and groove) sold separately
- Outer rail is 2" square, 14 gauge tube
- Vertical filler bars are 1" x 14 gauge spaced 2³/₄" apart to ensure horse safety
- Features our durable, corrosion-resistant powder coat brown finish



Durable door rollers for years of smooth operation.



Gossip gate allows ventilation and social interaction.

EXCEL HORSE STALL



12' Excel Stall Front - HSF12



12' Stall Side - HSSV12



12' Stall Side Solid - HSSS12

DESCRIPTION	ITEM #	HEIGHT	LENGTH	APPROX. WEIGHT
10' Excel Stall Front	HSF10	7'	117 ⁵ / ₈ "	255 lbs
10' Stall Side Vented	HSSV10	7'	117 ⁵ / ₈ "	160 lbs
10' Stall Side Solid	HSSS10	7'	117 ⁵ / ₈ "	120 lbs
12' Excel Stall Front	HSF12	7'	141 ¹ / ₂ "	275 lbs
12' Stall Side Vented	HSSV12	7'	141 ¹ / ₂ "	190 lbs
12' Stall Side Solid	HSSS12	7'	141 ¹ / ₂ "	130 lbs

Stalls do not include wood or other filler material. Stall brackets sold separately.

EXCEL HORSE STALL




STALL BRACKETS




2-Way Stall Bracket



3-Way Stall Bracket



4-Way Stall Bracket



Wall-Mount Bracket



DESCRIPTION

- 2-Way Stall Bracket Pair
- 3-Way Stall Bracket Pair
- 4-Way Stall Bracket Pair
- Wall-Mount Bracket Pair
- Horse Stall Door Roller

ITEM

- SB2PSQ
- SB3PSQ
- SB4PSQ
- SBWPSQ
- SQHSRHD

APPROX. WEIGHT

- 3.5 lbs
- 6 lbs
- 8 lbs
- 2 lbs
- 0.5 lb.



The integrated gossip gate provides a great way for your animals to socialize.



Auto-locking door provides worry-free safety and security for your animals.

LUMBER KIT



For Excel horse stalls only.

DESCRIPTION

- 10' Horizontal Lumber Kit Side Vented
- 10' Horizontal Lumber Kit Side Solid
- 10' Horizontal Lumber Kit Front (Excel)
- 12' Horizontal Lumber Kit Side Vented
- 12' Horizontal Lumber Kit Side Solid
- 12' Horizontal Lumber Kit Front (Excel)

ITEM

- HLKSV10*
- HLKSS10*
- HLKF10*
- HLKSV12*
- HLKSS12*
- HLKF12*

APPROX. WEIGHT

- 181 lbs
- 320 lbs
- 192 lbs
- 212 lbs
- 343 lbs
- 218 lbs

NOTE: Special lead time may apply to some products



SENTINEL HORSE STALL

BUILD YOUR IDEAL STALL: Front and sides are 7' tall and available as complete connection units or separate pieces so you can build the stall to your specs. Features a 4' wide sliding entry/exit door and convenient swing out feed doors.

SAFETY FIRST: Stall door threshold is flat to prevent stumbling and latches have no sharp protrusions.

ADD YOUR LUMBER: Outfit your stalls with 2" thick lumber for a classic look. Fits a variety of barn or sheds and can be used in clear span or post-frame construction.



Durable door rollers for years of smooth operation. Simple, easy to use latch for safety and reliability.



10' Sentinel Stall Front - SF10



10' Sentinel Solid Stall Side - SSO10



10' Sentinel Vented Stall Side - SS10


DESCRIPTION	ITEM #	HEIGHT	LENGTH	APPROX. WEIGHT
10' Sentinel Stall Front	SF10	7'	117 ⁵ / ₈ "	207 lbs
10' Sentinel Stall Side Solid	SSO10	7'	117 ⁵ / ₈ "	145 lbs
10' Sentinel Stall Side Vented	SS10	7'	117 ⁵ / ₈ "	121 lbs
12' Sentinel Stall Front	SF12	7'	141 ¹ / ₂ "	234 lbs
12' Sentinel Stall Side Solid	SSO12	7'	141 ¹ / ₂ "	159 lbs
12' Sentinel Stall Side Vented	SS12	7'	141 ¹ / ₂ "	141 lbs
Sliding Stall Door	SDSLD	7'	48"	100 lbs

STALL BRACKETS

2-Way Stall Bracket



4-Way Stall Bracket



3-Way Stall Bracket



Wall-Mount Brackets



DESCRIPTION	ITEM #	APPROX. WEIGHT
2-Way Stall Bracket Pair	SB2P	3.5 lbs
3-Way Stall Bracket Pair	SB3P	6 lbs
4-Way Stall Bracket Pair	SB4P	8 lbs
Wall-Mount Bracket Pair	SBWP	2 lbs
Horse Stall Door Roller	HSR	0.5 lb.

LUMBER KIT



DESCRIPTION	ITEM #	APPROX. WEIGHT
10' Lumber Kit Side Vented	LKSV10	181 lbs
10' Lumber Kit Side Solid	LKSS10	320 lbs
10' Lumber Kit Front	LKF10	192 lbs
12' Lumber Kit Side Vented	LKSV12	212 lbs
12' Lumber Kit Side Solid	LKSS12	343 lbs
12' Lumber Kit Front	LKF12	218 lbs

For Sentinel horse stalls only.

NOTE: Special lead time may apply to some products



EXPO HORSE STALL

STALL ON THE GO: Need stalls for the fair or show grounds? The Expo Horse Stall is the perfect, heavy-duty solution and assembles in minutes.

STURDY & RELIABLE: Included $\frac{1}{2}$ " plywood filler panels means these stalls are built for the pressure. Upgrade your stalls with up to $\frac{3}{4}$ " filler material such as PVC puckboard for added strength and durability. The powder coat finish resists corrosion.

CONFIGURE FOR YOUR NEEDS: At 7' tall, these stalls can be used in clear-span or post-frame construction as well as outdoor tents. Simple to use stall brackets make setup easy. Heavy-duty drop pin hardware is also available as an optional upgrade.






10' Expo Stall Front - ESFSOD10



10' Expo Stall Vented - ESS10



10' Expo Stall Side Solid - ESSO10

DESCRIPTION

10' Expo Stall Front with Sliding Door

ITEM #

ESFSD10*

HEIGHT

7'

LENGTH

117⁵/₈"

APPROX. WEIGHT

215 lbs

10' Expo Stall Front with Swing Out Door

ESFSOD10*

7'

117⁵/₈"

215 lbs

10' Expo Stall Side Solid

ESSO10*

7'

117⁵/₈"

200 lbs

10' Expo Stall Side Vented

ESS10*

7'

117⁵/₈"


190 lbs

STALL BRACKETS

2-Way Stall Bracket



4-Way Stall Bracket



DESCRIPTION

2-Way Stall Bracket Pair

ITEM #

SB2P

APPROX. WEIGHT

3.5 lbs

3-Way Stall Bracket Pair

SB3P

6 lbs

4-Way Stall Bracket Pair

SB4P

8 lbs

3-Way Stall Bracket



Wall-Mount Brackets



Wall-Mount Bracket Pair

SBWP

2 lbs

Horse Stall Door Roller

HSR

0.5 lb.





POLY CORNER MOUNT HAY FEEDER

SAFE DESIGN: Rounded, smooth lip and yoke in front allow horses safe access for feeding in their natural grazing position.

EASY CARE: Polyethylene construction with removable drain plug makes for easy maintenance and cleaning.

HELPS KEEP HAY FRESH: Holds 3-4 flakes of hay and 1" ventilation strips help keep hay dry by giving moisture an escape.

THIS FEEDER WORKS PERFECTLY WITH THE ELITE EXCEL STALL FRONT

ITEM #	H	W	L	APPROX. WEIGHT
PCMHF	28.5"	32"	22.5"	13 lbs



WALL MOUNT POLY HAY & GRAIN FEEDER

SAFE & CONVENIENT: Make feeding time easy with our wall mount feeder. Convenient way to feed horses both hay and grain in their stalls. Helps minimize waste and keeps hay clean and dry.

LARGE CAPACITY: $\frac{3}{8}$ " galvanized manger holds 3 flakes of hay and 16 quarts of grain, keeping your horse occupied and steadily eating for better digestion.

LIGHT BUT STRONG: Sturdy, yet lightweight and easy to clean and maintain.

ITEM #	H	W	L	APPROX. WEIGHT
GFP	32"	24"	18"	10 lbs



GALVANIZED MANGER FEEDERS

SAFE & CONVENIENT: Convenient way to feed horses hay in their stalls. Wall and corner mount options help to minimize waste and keeps hay clean and dry.

LARGE CAPACITY: $\frac{3}{8}$ " galvanized manger holds 3 flakes of hay, keeping your horse occupied and steadily eating for better digestion.

LIGHT BUT STRONG: Sturdy, yet lightweight and easy to clean and maintain.

DESCRIPTION	ITEM #	H	W	L	APPROX. WEIGHT
Wall Mount	WMHF	28.5"	24"	20"	14 lbs
Corner Mount	CMHF	31"	30"	19.5"	5.4 lbs



CORNER MOUNT POLY HAY & GRAIN FEEDER

SAFE & CONVENIENT: Make feeding time easy with our galvanized hay and grain feeder. Convenient way to feed horses both hay and grain without having to enter the stall. Helps minimize waste and keeps hay clean and dry.

LARGE CAPACITY: $\frac{3}{8}$ " galvanized manger holds 3 flakes of hay and poly feeder holds up to 16 quarts of grain, keeping your horse occupied and steadily eating for better digestion.

LIGHT BUT STRONG: Sturdy, yet lightweight and easy to clean and maintain.

THIS FEEDER WORKS PERFECTLY WITH THE SENTINEL STALL FRONT

ITEM #	H	W	D	APPROX. WEIGHT
SCF	32"	29.5"	20"	12 lbs



GALVANIZED CORNER MOUNT HAY & GRAIN FEEDER

SAFE & CONVENIENT: Make feeding time easy with our wall mount feeder. Convenient way to feed horses both hay and grain in their stalls. Helps minimize waste and keeps hay clean and dry.

LARGE CAPACITY: $\frac{3}{8}$ " galvanized manger holds 3 flakes of hay and 16 quarts of grain, keeping your horse occupied and steadily eating for better digestion.

LIGHT BUT STRONG: Sturdy, yet lightweight and easy to clean and maintain. Galvanized construction adds strength and durability.

THIS FEEDER WORKS PERFECTLY WITH THE SENTINEL STALL FRONT

ITEM #	H	W	D	APPROX. WEIGHT
SCFG	32"	29.5"	20"	12 lbs



PORTABLE GATE FEEDER

FEED SIMPLY: Need a fast and simple way to feed cows or horses? Our lightweight feeder hangs on gates, corrals and fences and fits most any size tube.

TARTER TOUGH: Rugged poly construction designed to withstand the elements and abuse from any sized herd.

CHOOSE YOUR SIZE: Available in 6 or 15 gallon capacities for animals of varying sizes.

DESCRIPTION	ITEM #	H	CAP	APPROX. WEIGHT
Large Portable Gate Feeder	PGF	15"	15 gal	6 lbs
Small Portable Gate Feeder	SPGF	14"	6 gal	4 lbs

COMPACT MANURE SPREADER

AN IDEAL SOLUTION FOR THE HORSE OWNER.

SMALL BUT MIGHTY: Works with ATV/UTV, or riding lawn mowers and holds 13 cubic feet of manure.

SPREADS EASILY: Ground driven aluminum drum with spreading vanes grinds manure quickly and easily.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder coat finish to protect your investment.

FOR BEST RESULTS WE RECOMMEND USING SHAVING AS IN-STALL BEDDING.



ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
MS1002	27"	51"	74"	13 cubic feet	207 lbs





GALVANIZED STOCK TANKS

GALVANIZED STEEL: A rust-resistant coating means it's built to last.

ROUNDED DESIGN: No sharp edges means livestock safety.

MULTIPLE USES: Water storage, rain barrel, livestock waterer, planter, cooler, storage, display and more!

Select sizes listed, more on pg. 133

NOTE: Sold in nests of 3, size of single tank may vary from listed dimensions



DESCRIPTION	ITEM #	WIDTH	HEIGHT	LENGTH	APPROX. CAPACITY	APPROX. WEIGHT
Oval Dura Tall 70	WT223	2'	2'	3'	70 gallons	36 lbs
Round Ultra 105	WTR32	3'	2'	—	105 gallons	36 lbs

NOTE: Special lead time may apply to some products



EQUINE PRO HAY FEEDER

3-PIECE HORSE HAY FEEDER

ROUND AND ROOMY: The 8' diameter easily accommodates large round bales.

SMOOTH, SAFE & STABLE: Rounded dividers ensure a safe, comfortable feeding experience. Sturdy loop legs prevent sinking into the ground.

ALL SEASON PASS: Our durable corrosion-resistant finish means it can be used year-round making it a long-lasting investment.

Comes with nuts and bolts.



DESCRIPTION	ITEM #	HEIGHT	DIAMETER	HAY SAVER	APPROX. WEIGHT
Equine Pro Hay Feeder	RHFO	50"	8'	-	115 lbs
Equine Pro Hay Feeder w/Hay Saver	RHF	50"	8'	17"	163 lbs
Galvanized Equine Pro Feeder w/Hay Saver	GHF	50"	8'	17"	163 lbs

CRADLE BALE FEEDER

AN ALL-ACCESS FEEDING SOLUTION FOR ALL LIVESTOCK. STRETCH YOUR HAY AND YOUR DOLLAR FURTHER.


UNIQUE DESIGN: Keeps hay off the ground to minimize waste.

STURDY & DURABLE: Strong enough to handle the rowdiest crowds at mealtime with thick 1 $\frac{3}{4}$ " tubing.

REMOVABLE PANEL: Makes loading round bales a breeze.

TARTER TOUGH: Galvanized finish and a rust resistant coating provide superior durability.

Comes with nuts and bolts.



DESCRIPTION

Galvanized Cradle Bale Feeder

ITEM

CBFG

HEIGHT

45"

WIDTH

78.5"

LENGTH

84.5"

APPROX. WEIGHT

134 lbs





EQUINE HAY BASKET

TARTER EXCLUSIVE DESIGN: Our one-of-a kind design keeps hay dry and off the ground while allowing horses to eat in their natural feeding position.

MARKET CHAMPION HAY-SAVER: Celebrated as one of the top-rated hay savers on the market.

TARTER TOUGH & TARTER SAFE: Our smooth-sided poly basket means safety for the animals and long-lasting durability.

Tarter's Equine Hay Basket is like a large cereal bowl for horses and is rated as a top feeder for horses by a University of Minnesota study. This feeder is perfect for keeping small bales dry and off of the ground, while also allowing horses to eat in their natural feeding position. It is constructed of 1 $\frac{3}{4}$ " tubing and features Tarter's corrosion resistant gray powder coat finish.



ITEM #
EHB

HEIGHT
34"

DIAMETER
64"

APPROX. WEIGHT
70 lbs



A-FRAME LARGE BALE FEEDER

LARGE & IN-CHARGE: Specifically designed for feeding large square bales to horses. Keeps hay contained and minimizes waste.

STRONG, SAFE & STURDY: Solid A-frame design constructed of 2" tubing which stands at 49" high. Easily connect panels with horse-safe drop pins.

EVERYTHING YOU NEED: Comes in complete kit of two 6' panels and two 10' panels. Individual panels are also available to expand your hay feeding capacity.

ITEM #	H	W	L	APPROX. WEIGHT
AFBF	49"	72"	120"	276 lbs

EQUINE FLEX HAY FEEDER



SUPER HAY SAVER: Compresses as hay is consumed, allowing for entire bale consumption.

SAFETY FIRST: Horse safe drop pins with loop connection means no sharp edges.

HANDLES MULTIPLE BALES: 4-piece feeder measures 12' long when fully flexed.

TARTER TOUGH: Constructed of 1³/₄" high tensile steel tubing with strong metal hay-saver panel.

DURABLE: Corrosion-resistant, powder coat green finish.

ITEM #	H	W	FLEXED LENGTH	APPROX. WEIGHT
FF	59"	96"	144"	294 lbs



EQUINE ELEVATED HAY & GRAIN FEEDER

Paddock Master Hay & Grain Feeder

EASY ACCESS: At 6' tall, this feeder allows the horse to eat hay or grain in a lateral plane.

HEAVY DUTY: At 260 pounds this feeder is the heaviest in it's class and engineered to withstand animals' use and abuse.

TARTER TOUGH: Our durable corrosion-resistant powder coat finish means it can be used year-round making it a long-lasting smart investment.

ITEM #	H	W	L	APPROX. WEIGHT
HHGF	69.5"	36"	60"	260 lbs



ADJUSTABLE HAY & GRAIN FEEDER

COMFORTABLE & CONVENIENT: Feed both hay and grain - variable height adjustment and V-shaped hay rack provides a comfortable height for a variety of animals.

LESS WASTE: Designed to help minimize waste by keeping hay clean and dry.

TARTER TOUGH: Durable poly tub includes drain holes and our corrosion-resistant finish protects your investment for years to come.

ITEM #	H	W	L	APPROX. WEIGHT
AHGF	50-77"	38"	46"	128 lbs



EQUINE PRO BUNK FEEDER

1-PIECE HEAVY DUTY TALL BUNK FEEDER

PORTABLE YET HEAVY-DUTY: At less than 40 pounds, this feeder is light enough to move around the pasture. Galvanized finish helps protect it from corrosion.

COMFORTABLE & CONVENIENT: Convenient way to feed horses both hay and grain. Stands 33" high for animal comfort.

SUSTAINABLE MATERIALS: 9" deep x 27" wide, this bunk liner is formed from a single piece of 100% recycled material.

ITEM #	HEIGHT	WIDTH	APPROX. WEIGHT
1PGHB5	33"	27"	38 lbs
HR5	33 ⁷ / ₈ "	28"	48 lbs



POLY BUNK FEEDER

1-PIECE ECONOMY BUNK FEEDER

LIGHTWEIGHT AND ACCESSIBLE: Easy to move and "Tarter Tough" for feeding livestock.

DURABLE AND RELIABLE: The fully replaceable poly bunk liner promises years of dependability.

TARTER TOUGH: The galvanized tubular steel frame makes it a long lasting smart investment.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
10' Poly Bunk Feeder	1PEB10	19"	34"	10'	52 lbs
10' Poly Bunk Liner	1PBL10	9"	27"	10'	15 lbs




EQUIMAX PANELS & WALK-THRUS

HORSE CORRAL PANEL, WALK-THRU WITH PANEL, WALK-THRU

BUILT FOR YOUR NEEDS: If you've got horses that need work, our 5' and 6' tall panels are ideal for round pen work, exercise, lessons, and training.

SAFEST PANEL YOU CAN BUY: Features our unique laser cut bracing technique that provides strength to handle horse impact, as well as loop legs designed to give if the horse comes in contact with a panel.

EASY ACCESS: Straight end posts with secure quick-pin latches offer easy assembly. These panels easily hook together to create your perfect pen.



DESCRIPTION	GRAY ITEM #	BROWN ITEM #	BRACES	GATE HEIGHT	H	L	APPROX. WEIGHT
5' Tall x 10' Long EquiMax Panel	HCP510*	HCPBR510	1	—	5'	10'	48 lbs
5' Tall x 12' Long EquiMax Panel	HCP512	HCPBR512	1	—	5'	12'	56 lbs
5' Tall x 16' Long EquiMax Panel	HCP516*	HCPBR516	2	—	5'	16'	73 lbs
6' Tall x 12' Long EquiMax Panel	HCP612	HCPBR612*	1	—	6'	12'	61 lbs
5' Tall x 12' Long EquiMax Panel w/Walk-Thru	HWT566	HWTBR566	—	5'	9'	12'	100 lbs
6' Tall x 12' Long EquiMax Panel w/Walk-Thru	HWT666	—	—	6'	9'	12'	127 lbs
6' EquiMax Walk-Thru w/5' Tall Gate	HWT56	HWTBR56	—	5'	9'	6'	70 lbs
6' EquiMax Walk-Thru w/6' Tall Gate	HWT66	HWTBR66*	—	6'	9'	6'	73 lbs



ARENA

PANELS, WALK, RIDE, & DRIVE-THRUS

Tarter's line of arena products offers nearly endless options for your arena and event setups. Our comprehensive solutions provide superior durability and flexibility.

MULTI-PURPOSE PANEL: With 6'-16' widths and 5' or 6' heights, this panel has maximum versatility and can be used for roping arenas, events, and cattle handling setups.

STRONG & STURDY: Heavy gauge construction and precision laser-cut braces; along with heavy-duty connections for superior strength.

SAFETY FIRST: Features straight end posts with closed tops for animal and handler safety.

See more on pg. 213

CORRAL PEN

CALCULATOR

- To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle).
- Divide the circumference by the length of panels being used. This will equal the number of panels needed.

PANEL LENGTH	DIAMETER OF HOLDING AREA (FEET)																
	20'	25'	30'	35'	40'	45'	50'	55'	60'	65'	70'	75'	80'	85'	90'	95'	100'
10'	6	8	9	11	13	14	16	17	19	20	22	24	25	27	28	30	31
12'	5	7	8	9	10	12	13	14	15	16	18	20	21	22	24	25	26
16'	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

NOTE: Sizes of pens are approximate. Pen sizes will vary depending on the size of the Walk-Thru Arch Gate used. Walk-Thru Arch Gates are available in 6' lengths only for horse corral panels. We also have available a 6' panel welded to a 6' arched gate which makes for a more rigid entry into the corral or for building 12' x 12' square corrals with individual openings.



Our product specialists are ready to discuss the unique needs of your next arena or event setup. Give us a call today at 1 800-REDGATE.



ARENA WORKER

THE QUICK AND EASY WAY TO PREP AND CONDITION YOUR EVENT SPACE

A MUST HAVE: Use on any competition or personal arena to provide a secure footing to reduce injuries and boost performance.

BREAK IT DOWN: Adjustable S-tines rip through soil; breaking down hard clumps with ease.

SMOOTH FINISH: Rear roller bar and drag blade provide a superior finished surface - perfect for nearly any event.

BUILT TARTER TOUGH: Heavy-gauge steel frame and powder-coat finish for years of low-maintenance use.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
6' Arena Worker	AWGR6*	45"	75"	84"	720 lbs
8' Arena Worker	AWGR8*	45"	99"	84"	878 lbs



SMALL ANIMAL EQUIPMENT

Feed, house, and transport your small animals safely with Tarter's American-made products. We have the options you need at the value you deserve.

"I LOVE, LOVE, LOVE THE DURA-TOUGH SMALL ANIMAL FEEDER! IT IS PERFECT FOR FEEDING MY GOATS HAY AND GRAIN, AND EASY FOR ME TO MOVE BY MYSELF!"

*- Lori Carmicle
Dunnville, KY*



DURA-TOUGH SMALL ANIMAL FEEDER

DUAL FEEDING OPTIONS: This feeder serves up hay and grain.

MONEY SAVER: The slow feed design promotes animal health while preventing waste.

TARTER TOUGH: Built stout and sturdy enough to handle large feeding groups all year long.

EASY REACH: Grain trough is positioned low to the ground for small livestock.



ITEM #
DTSAF

HEIGHT
37 3/4"

WIDTH
23 1/2"

LENGTH
49.5"

APPROX. WEIGHT
59 lbs

GOAT BUNK FEEDER & HAY RACK



COMFORTABLE & CONVENIENT: Feed both hay and grain out of the same feeder. Low to the ground and designed for animal comfort.

LESS WASTE: 4"x4" wire mesh hay rack is designed to help minimize waste by keeping hay clean and dry.

TARTER TOUGH: Durable poly tub includes drain holes for water to escape. Durable, corrosion-resistant galvanized finish protects your investment for years.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Goat Bunk Feeder	GSBF	14"	27"	60"	36 lbs
Goat Hay Rack	GH5	24"	24"	60"	20 lbs

SMALL ANIMAL MINERAL FEEDER

PROTECTS YOUR INVESTMENT: The thick poly tub with molded wind vane protects the mineral from being washed or blown away.

PRACTICALLY GOAT-PROOF: This feeder has a 65" base with extra long legs to prevent tipping.

TARTER TOUGH: Features our durable, corrosion-resistant powder coat finish to protect your investment.

ITEM #	H	W	L	APPROX. WEIGHT
GMF	31"	65"	65"	29 lbs



GOAT TROUGH FEEDER

PERFECT SIZE: If you have goats or other small animals, you need Tarter's low-set heavy duty trough feeder.

PRACTICALLY GOAT-PROOF: The innovative design with V-bottom and overhead guard prevents goats from standing in feeder - preventing them from pushing it around or being turned over.

TARTER TOUGH: Available in 4' and 8' sizes; it features our durable, corrosion-resistant powder coat finish to weather the elements.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Goat Trough Feeder 4'	TF4	17"	32"	48"	60 lbs
Goat Trough Feeder 8'	TF8	17"	32"	96"	118 lbs

NOTE: Special lead time may apply to some products



GOAT CREEP FEEDER

IN CONTROL: Standard height adjustment bar puts you in control - eliminating competition from adult animals.

ALL SEASON PASS: Our durable corrosion-resistant e-coat finish means it can be used year-round, making it a long-lasting, smart investment.

TARTER TOUGH: Extra rear bracing provides additional support, making this creep feeder the strongest in the market.



This 650 lb* capacity Creep Feeder allows for the continuous free flow of feed. The adjustable height bar can be moved up and down or removed completely so you can choose what size kids can enter the cage. A feed control band is standard on all units and the sliding lid provides a dual handle for easy loading of feed.

ITEM #	CAPACITY	HEIGHT	WIDTH	LENGTH	FEED TROUGH DIMENSIONS	CAGE LENGTH	APPROX. WEIGHT
GC65	650 lbs*	48"	37"	50"	9" x 50" x 6"	65"	270 lbs

GALVANIZED CRADLE BALE FEEDER

AN ALL-ACCESS PASS FEEDING SOLUTION FOR ALL LIVESTOCK. STRETCH YOUR HAY AND YOUR DOLLAR FURTHER.

UNIQUE DESIGN: Keeps hay off the ground to minimize waste.

STURDY & DURABLE: Strong enough to handle the rowdiest crowds at mealtime with thick 1 $\frac{3}{4}$ " tubing.

REMOVABLE PANEL: Makes loading round bales a breeze.

TARTER TOUGH: Galvanized finish and a rust resistant coating provide superior durability.

Comes with nuts and bolts.

ITEM #	H	W	L	APPROX. WEIGHT
CBFG	45"	78.5"	84.5"	134 lbs



GOAT HAY RACK

PERFECT PROPORTIONS: Specifically designed for feeding hay to goats and small animals. Sets up quickly and easily.

EASY TRANSPORT: Lays completely flat when disassembled - making it easy to transport and store.

TARTER TOUGH: Constructed of high-quality galvanized steel that will withstand the elements.

ITEM #	WIRE	H	W	L	APPROX. WEIGHT
GH4	4" x 4"	51.5"	48"	48"	65 lbs



ADJUSTABLE HAY & GRAIN FEEDER

COMFORTABLE & CONVENIENT: Feed both hay and grain - variable height adjustment and V-shaped hay rack provides a comfortable height for a variety of livestock.

LESS WASTE: Designed to help minimize waste by keeping hay clean and dry.

TARTER TOUGH: Durable poly tub includes drain holes and our corrosion-resistant finish protects your investment for years to come.

ITEM #	H	W	L	APPROX. WEIGHT
AHGF	50" - 77"	38"	46"	128 lbs

NOTE: Special lead time may apply to some products



OVAL ULTRA 100 WITH E-Z ACCESS DRINKER

TARTER TOUGH: Withstands harsh weather conditions and is rust resistant.

E-Z ACCESS: Large automatic drinker provides a way for pigs and other small animals to drink at a comfortable level.

ROLLED RIM TOP: Strong steel tubing adds a reinforced layer of protection.

REINFORCED SIDING: The sides of our tanks are designed for maximum strength.

ITEM #	CAP.	APPROX. SIZE	APPROX. WEIGHT
WTD224	96 Gal	2' x 2' x 4'	60 lbs

GALVANIZED STOCK TANKS

GALVANIZED STEEL: A rust-resistant coating means it's built to last.

ROUNDED DESIGN: No sharp edges ensures livestock safety.

MULTIPLE USES: Great as a livestock waterer, planter, cooler, and more.



**WT214 SHOWN - ADDITIONAL SIZES AVAILABLE: see tanks & galvanized products section pg 131.*

ITEM #	CAP	APPROX. SIZE	APPROX. WEIGHT
WT214	40 Gal	12"H x 24"W x 48"L	30 lbs



SMALL ANIMAL TRANSPORTER

SAFE TRANSPORT: Safely and easily transport goats, hunting dogs, calves, sheep or other small animals right in the bed of your truck.

PERFECT FIT: If you own a full-size truck, you'll have no problem fitting this transporter in the bed, even if you have built-in toolboxes.

BUILT TARTER TOUGH: Made with high-quality galvanized steel, ensuring years of reliable, worry-free use.

ITEM #	H	W	L	APPROX. WEIGHT
GGFS	41"	47"	53"	110 lbs




KIDDER PANELS

SAFE KEEPING: Galvanized steel construction keeps small animals such as goat kids, calves and other smaller animals safely confined.


BUILD YOUR OWN: The 5' and 10' panels, as well as Walk-Thrus allow for maximum versatility. Attach multiple units to create any size pen.

STRONG & DURABLE: Made with high-quality galvanized steel for years of worry-free use.



KP5

KPW5



KP10

DESCRIPTION

5' Kidding Pen Panel w/Hardware

10' Kidding Pen Panel w/Hardware

5' Kidding Pen Walk-Thru

Kidding Panel Pin

ITEM

KP5

KP10

KPW5

LPP

HEIGHT

52"

52"

7'

8"

LENGTH

5'

10'

5'

3"

APPROX. WEIGHT

27 lbs

50 lbs

60 lbs

.75 lbs

NOTE: Special lead time may apply to some products



WATCHMAN WIRE MESH GATES


2X4 WIRE-FILLED GATE + 2X4 SQUARE CORNER WIRE-FILLED GATE

SAFETY FIRST: The design keep horses and small animals safely contained. The 2"x4" wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1 3/4" round high-tensile strength tubing and durable powder coat finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.

ROUND CORNER OR SQUARE CORNER



LIGHT CONFINEMENT

	BLUE ITEM #	GREEN ITEM #	GRAY ITEM #	BLACK ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
ROUND CORNER	WFGB4	WFGG4	WFGGR4	WFGBL4	—	50"	45"	26 lbs
	WFGB6	WFGG6	WFGGR6	WFGBL6	—	50"	69"	35 lbs
	WFGB8	WFGG8	WFGGR8	WFGBL8	1	50"	93"	44 lbs
	WFGB10	WFGG10	WFGGR10	WFGBL10	1	50"	117"	53 lbs
	WFGB12	WFGG12	WFGGR12	WFGBL12	1	50"	141"	61 lbs
	WFGB14	WFGG14	WFGGR14	WFGBL14	2	50"	165"	72 lbs
	WFGB16	WFGG16	WFGGR16	WFGBL16	2	50"	192"	83 lbs

	GREEN ITEM #	BROWN ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
SQUARE CORNER	WFGGSC4	WFGBRSC4	—	50"	45"	26 lbs
	WFGGSC6	WFGBRSC6	—	50"	69"	35 lbs
	WFGGSC8	WFGBRSC8	1	50"	93"	44 lbs
	WFGGSC10	WFGBRSC10	1	50"	117"	53 lbs
	WFGGSC12	WFGBRSC12	1	50"	141"	61 lbs
	WFGGSC14	WFGBRSC14	2	50"	165"	72 lbs
	WFGGSC16	WFGBRSC16	2	50"	192"	83 lbs

WATCHMAN GALVANIZED WIRE MESH GATES

ROUND CORNER OR SQUARE CORNER

GALVANIZED WIRE-FILLED GATE + GALVANIZED SQUARE CORNER WIRE-FILLED GATE

SAFETY FIRST: The design keep horses and small animals safely contained. The graduated wire-fill keeps hooves out of harm's way.

STRONG & DURABLE: Made "Tarter Tough" with 1³/₄" round high-tensile strength tubing and durable galvanized finish.

EASY INSTALLATION: Comes with hinge pins and snap chain. Adjustable hinges allow for left or right-hand swing.



LIGHT CONFINEMENT

	ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
ROUND CORNER	WG4	—	50"	45"	20 lbs
	WG6	—	50"	69"	28 lbs
	WG8	1	50"	93"	39 lbs
	WG10	1	50"	117"	47 lbs
	WG12	1	50"	141"	55 lbs
	WG14	2	50"	165"	65 lbs
	WG16	2	50"	192"	72 lbs
SQUARE CORNER	WGSC4	—	50"	45"	20 lbs
	WGSC6	—	50"	69"	28 lbs
	WGSC8	1	50"	93"	39 lbs
	WGSC10	1	50"	117"	47 lbs
	WGSC12	1	50"	141"	55 lbs
	WGSC14	2	50"	165"	65 lbs
	WGSC16	2	50"	192"	72 lbs





STEELMAX SMALL ANIMAL GATE

7-BAR HOG/SHEEP GATE

SAFE KEEPING: Specially designed gate keeps small animals such as hogs and sheep confined. Stands 35" tall and is available in 4-20' lengths.

STRONG & DURABLE: 1 $\frac{3}{4}$ " high-tensile tubing is strong and requires little maintenance.

EASY INSTALLATION: Comes with hinge pins and snap chain. Ready to hang when you are.

1 $\frac{3}{4}$ " tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
RRP4*	0	35"	4'	22 lbs
RRP6*	1	35"	6'	31 lbs
RRP8*	1	35"	8'	41 lbs
RRP10	2	35"	10'	52 lbs
RRP12	3	35"	12'	62 lbs
RRP14*	3	35"	14'	72 lbs
RRP16*	4	35"	16'	82 lbs
RRP18*	5	35"	18'	92 lbs
RRP20*	5	35"	20'	103 lbs



PIPE PANELS & WALK-THRU

SAFE KEEPING: 1" steel construction designed for small animal enclosures and corrals, keeping your livestock safely contained.

QUICK ASSEMBLY: Perfect for 4-H and FFA use, these panels are easy to transport and assemble in a snap.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant finish. Suitable for indoor or outdoor use.

DESCRIPTION	ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
4' Pipe Panel w/Hardware	PPWR4	1	36"	48"	15 lbs
8' Pipe Panel w/Hardware	PPWR8	2	36"	96"	24 lbs
4' Pipe Panel Walk-Thru	PPWTR4	—	74"	48"	23 lbs



VERTICAL BAR SMALL ANIMAL PANELS

SAFE KEEPING: Specially designed to keep small animals such as hogs and sheep safely confined, especially at events and shows.

BUILD YOUR OWN: The 6' panels and Walk-Thrus allow for maximum versatility. Attach multiple units together to create any size pen or combination of pens.

BUILT TARTER TOUGH: Made with high-quality 1½" tubing, and features our durable, corrosion-resistant finish.



DESCRIPTION	ITEM #	H	W	L	APPROX. WEIGHT
Heavy-Duty Vertical Bar Small Animal Panel 6'	VBSAPHD6*	36 ½"	1 ½"	72"	40 lbs
Heavy-Duty Vertical Bar Small Animal Walk-Thru 6'	VBSAWHD6*	84"	1 ½"	72"	57 lbs
Vertical Bar Small Animal Panel 6'	VBSAP6	36 ½"	1 ½"	72"	33 lbs
Vertical Bar Small Animal Walk-Thru 6'	VBSAW6	84"	1 ½"	72"	46 lbs

NOTE: Special lead time may apply to some products

"AFTER RAISING GOATS FOR OVER 40 YEARS, I HAVE FINALLY FOUND A GOAT CREEP FEEDER THAT THE MOMMAS CAN'T GET INTO AND KIDS FEEL COMFORTABLE GOING IN AND OUT OF!"

*- Beth Johnson, DVM Small Ruminant Veterinarian
Field Veterinarian, KY Dept. of Agriculture, Office of the State Veterinarian*





KENNELS & ACCESSORIES

Keep your pet safe, secure, and comfortable with Tarter's line of dog kennels. We only use high-quality, American-made steel for a lifetime of reliability.

WHAT KENNEL DO I NEED?

CHOOSING A KENNEL FOR YOUR FURRY FRIENDS CAN BE DIFFICULT. LET US HELP YOU MAKE THE BEST DECISION FOR YOUR PETS.



THE ELITE

There's a reason we named it that... only the best will do for your pets! That's why we started with thick steel tubing and heavy gauge wire, then galvanized it to protect against rust and waste. We even took it one step further and used our patented powder-over-e-coat finish on the entire panel for exceptional durability. That is what makes this

THE STRONGEST KENNEL IN AMERICA.



THE BLUE CHAMPION

Perfect for medium breeds, this kennel still offers great durability and is light weight for portability. Optional extra panels make it easy to construct the perfect kennel for your pet

AMERICA'S WINNING CHOICE.





GALVANIZED CHAIN LINK KENNEL

An affordable solution for all your pets. This simple, easy-to-use kennel can be assembled in minutes. You can even use this as a temporary solution for small animals.

BIG ON FEATURES

Choose from the most feature-packed options on the market. Our kennels are the ideal solution for comfort and safety of your pets.



	THE ELITE	BLUE CHAMPION	GALVANIZED CHAIN LINK
Heavy-duty steel tubing			
Welded 2"x4" wire			
Flexible chain link wire			
Shade cover available			
Galvanized			
Powder-coated			
Kit size	10' x 10'	5' x 10'	10' x 10'
Double door available			
Expandable			
Animal size	large-medium dogs	medium-small dogs	smaller animals
Other uses	chicken coop, rabbit enclosure, small animals	chicken coop, rabbit enclosure	temporary small animal enclosure

**Standard shade cover can be used if kennel is configured as a 10'x10' unit*

THE STRONGEST KENNEL IN AMERICA



THE ELITE KENNEL

WE KNOW YOUR PETS ARE FAMILY. THAT'S WHY WE DESIGNED OUR ELITE KENNEL WITH THE STRONGEST MATERIALS AND DEVELOPED A PATENTED FINISH FOR SUPERIOR SAFETY AND DURABILITY.



TARTER TOUGH



SAFE



VERSATILE



EXPANDABLE

When you want the best outdoor solution for keeping your dogs, chickens, or even your bunnies safe and secure from predators, Tarter's Elite Dog Kennel is your choice. One customer sent us a letter and told us the Elite Dog Kennel saved her dogs life. A Texas non-profit group that trains service dogs to help veterans relies on our kennels to keep their canines safe and secure.

We know you want your kennel to look great and last a long time, so we galvanized our steel and gave it a powder-coat finish. That will guard against corrosion from harsh chemicals or the gnawing of sharp teeth.

When you're ready to expand, Tarter makes it easy. Just add on with five and ten foot side panels, an optional two-door front panel, and even a shade cover for additional comfort and protection. All panels come with heavy-duty top and bottom kennel clamps, making it simple to give your animals room to roam. Our lockable two-way latches are animal proof, yet make it a breeze for you to enter and exit.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Elite Kennel - Complete	DKHDG	6'	10'	10'	273 lbs
Elite Kennel Front - 10' Single Door	DKFHDG	6'	2"	10'	84 lbs
Elite Kennel Front - 10' Double Door	DKF2DHDG	6'	2"	10'	96 lbs
Elite Kennel Side - 10'	DKSHDG	6'	2"	10'	63 lbs
Elite Kennel Front - 5' Single Door	DKFHDG5	6'	2"	5'	53 lbs
Elite Kennel Side - 5'	DKSHDG5	6'	2"	5'	42 lbs
Heavy-Duty Dog Kennel Clamp Set	DKCHD2	2"	2"	6"	2 lbs
Dog Kennel Easy Latch System	DKSL	—	—	—	2 lbs
10'x10' Kennel Shade Cover	DKSC	—	10'	10'	3.5 lbs

NOTE: Special lead time may apply to some products

STRONG. SAFE. BUILT TO LAST

TARTER ELITE KENNELS HAVE BEEN USED IN SOME OF THE MOST DEMANDING SITUATIONS IMAGINABLE. YOU CAN REST ASSURED THAT YOUR FURRY FRIENDS ARE SAFE AND SECURE.



STRONGEST IN CLASS: Constructed with the thickest professional grade, powder-coated galvanized steel tubing, and heavy 8-gauge wire ensuring a long life.




COMFORTABLE & SECURE: Strong precision welding means no sharp edges and protection from outside predators.




LOCKABLE DOUBLE-SIDED LATCHES: Easy to operate and animal proof.



CUSTOMIZED EXPANDABILITY: Optional extra panels make it easy to construct the perfect sized kennel for your animals.



DKHDG - Complete Kennel with Single Door Front



DKHDG - Complete Kennel with OPTIONAL Double Door Front



PATRIOTPAWS
SERVICE DOGS

Patriot Paws - which places service dogs with U.S. Armed Forces Veterans, use Tarter Elite Kennels in their training facilities.





BLUE CHAMPION KENNEL

TARTER TOUGH: Thick steel tubing and heavy mesh wire make this high quality kennel the top choice for medium dog breeds.

CUSTOMIZED EXPANDABILITY: Optional extra panels make it easy to construct the perfect kennel for your pet.

COMFORTABLE AND SECURE: 50 square feet of space give your animal room to play. The lockable double-sided latch ensures safety and security.

EXTRA PROTECTION: Our exclusive 11-step coating assures the best corrosion protection and guarantees quality, durability, and a long life.



SAFE & STURDY: Innovative construction maximizes strength and eliminates catch points.



LOCKABLE DOUBLE-SIDED LATCHES: Easy to operate and animal proof.



MULTIPLE USES: This kennel also makes a great home for chickens, rabbits, and other smaller animals.

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Blue Champion Kennel - Complete	DKMDB	6'	57.75"	10'	170 lbs
Blue Champion Kennel - 5' Front w/Door	DKFMDB5	6'	1.75"	57.875"	42 lbs
Blue Champion Kennel - 5' Side	DKSMDB5	6'	1.75"	57.875"	32 lbs
Blue Champion Kennel - 10' Side	DKSMDB10	6'	1.75"	117"	48 lbs
Dog Kennel Clamp Set	DKCMD2	2"	2"	5"	1.5 lbs

NOTE: Special lead time may apply to some products




GALVANIZED CHAIN LINK KENNEL

AN AFFORDABLE SOLUTION FOR THE FAMILY PET

STRONG & STURDY: Galvanized chain link kennels are a great option in canine and small animal containment.

DURABLE FLEXIBILITY: Thick steel tubing and heavy-gauge chain link wire stand up to the abuse of multiple breeds.

SIMPLE & EASY: Can be assembled in mere minutes and light enough to move to nearly any location.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Galvanized Chain Link Kennel - Complete	10WK	6'	10'	10'	181 lbs
Galvanized Chain Link Panel - 10'	10WKS	6'	1.875"	10'	42 lbs
Galvanized Chain Link Kennel Panel w/Door - 10'	10WKD	6'	1.875"	10'	55 lbs
Economy Galvanized Chain Link Kennel - Complete	10WKE	6'	10'	10'	166 lbs
10'x10' Kennel Shade Cover	DKSC	—	10'	10'	3.5 lbs
Dog Kennel Panel Clamps - Set of 2	DKC	—	—	—	< 1 lb
Dog Kennel Latch	DKL	—	—	—	< 1 lb

STOCK TANKS & GALVANIZED PRODUCTS

Count on the most popular galvanized steel stock tanks in America. Use Tarter's superior tanks as livestock waterers, planters or coolers. The options are endless.





TARTER[®]
FARM AND RANCH EQUIPMENT

GALVANIZED STOCK TANKS

TARTER TOUGH: Withstands harsh weather conditions and is rust-resistant.

WATERTIGHT: An animal safe sealant and 4-ply design prevents leaks.

ROLLED RIM TOP: Strong steel tubing adds a reinforced layer of protection.

REINFORCED SIDING: The sides of our tanks are designed for maximum strength.



TARTER TOUGH



WATERTIGHT



ROLLED TOP RIM



REINFORCED SIDING



NOTE: Sold in nests of 3, size of single tank may vary from listed dimensions

	DESCRIPTION	ITEM #	APPROX. SIZE	APPROX. CAPACITY	APPROX. WEIGHT
OVAL	Oval Versa 40	WT214	2'W x 1'H x 4'L	40 Gallons	30 lbs
	Oval Dura 70	WT216	2'W x 1'H x 6'L	70 Gallons	46 lbs
	Oval Dura Tall 70	WT223	2'W x 2'H x 3'L	70 Gallons	36 lbs
	Oval Ultra 100	WT224	2'W x 2'H x 4'L	100 Gallons	46 lbs
	Oval Ultra 125	WT225	2'W x 2'H x 5'L	125 Gallons	55 lbs
	Oval Ultra 170	WT226	2'W x 2'H x 6'L	170 Gallons	63 lbs
	Oval Mega 220	WT228	2'W x 2'H x 8'L	220 Gallons	84 lbs
	Oval Mega 300	WT328	3'W x 2'H x 8'L	300 Gallons	95 lbs
ROUND	Round Ultra 105	WTR32	2'H x 3'Dia	105 Gallons	36 lbs
	Round Ultra 165	WTR42	2'H x 4'Dia	165 Gallons	65 lbs
	Round Mega 390	WTR62	2'H x 6'Dia	390 Gallons	115 lbs
	Round Mega 700	WTR82	2'H x 8'Dia	700 Gallons	176 lbs
	Drain Plug <i>(replacement part - EXCLUDES WT214 and WT216)</i>	WTP	—	—	—



"WE HAVE BEEN USING THE GALVANIZED TANK ALL SUMMER IT IS GREAT TO HAVE SUCH LARGE CAPACITY AND IT HAS HELD UP GREAT - EVEN WITH A YEARLING WHO LOVES TO PLAY IN THE WATER!"

- Karrie Benedict





TARTER
FARM AND RANCH EQUIPMENT



TARTER 
FARM AND RANCH EQUIPMENT

GALVANIZED UTILITY TANKS WITH HANDLES

TARTER TOUGH: Withstands harsh weather conditions and is rust-resistant.

EXTRA UTILITY: Large handles make these tanks easy to use and transport.

ROLLED RIM TOP: Strong steel tubing adds a reinforced layer of protection.

REINFORCED SIDING: The sides of our tanks are designed for maximum strength.



TARTER TOUGH



WATERTIGHT



ROLLED TOP RIM



REINFORCED SIDING



PRO TIP: Tanks with handles are perfect for transporting to shows, events, tailgating with friends, storage, and so much more!



DESCRIPTION

Round Versa 23

Round Ultra 46

Drain Plug
(replacement part)

ITEM #

GCT21

GUT22

WTP

APPROX. SIZE

1'H x 2'Dia.

2'H x 2'Dia.

—

APPROX. CAPACITY

23 Gallons

46 Gallons

—

APPROX. WEIGHT

18 lbs

27 lbs

—

NOTE: Special lead time may apply to some products



TARTER
FARM AND RANCH EQUIPMENT

GALVANIZED UTILITY TANKS WITH SPIGOTS AND STANDS

TARTER TOUGH: Withstands harsh weather conditions and is rust-resistant.

ADDITIONAL FEATURES: Available spigots and tank stands expand functionality.

ROLLED RIM TOP: Strong steel tubing adds a reinforced layer of protection.

REINFORCED SIDING: The sides of our tanks are designed for maximum strength.



TARTER TOUGH



WATERTIGHT



ROLLED TOP RIM



REINFORCED SIDING



PRO TIP: Use a tank stand to raise your tank to a comfortable height for use as a cooler, planting box, and more!



DESCRIPTION	ITEM #	APPROX. SIZE	APPROX. CAPACITY	APPROX. WEIGHT
Round Versa 23 with spigot	GCT21S	1'H x 2'Dia.	23 Gallons	19 lbs
Water Tank Stand (fits GCT21S)	WTS	28"H x 22"W x 22"L	—	20 lbs
Oval Versa 40 with spigot	WT214S	1'H x 2'W x 4'L	46 Gallons	28 lbs
Large Water Tank Stand (fits WT214 & WT214S)	WTSL	28"H x 30"W x 42.5"L	—	26 lbs

NOTE: Special lead time may apply to some products



TARTER
FARM AND RANCH EQUIPMENT

RAISED BED PLANTERS

EASY SETUP: Create a garden in minutes with no assembly or tools required.

LIGHTWEIGHT AND DURABLE: Lasts longer than wooden planters.

MULTIPLIES YOUR HARVEST: Produces twice the vegetables in half the time.

SAFETY FIRST: Galvanized steel and rounded edges ensure safety for all plants, soil, pets, and people.



Whether you're in the country or the city, let Tarter help you show off your green thumb with our raised bed planters. Perfect for edibles and ornamentals, these planters produce twice the amount per square foot than traditional gardens. And with Tarter's raised bed planters, you can often plant earlier and harvest later to extend the growing season. Create an instant garden anywhere - just add soil and seeds - you're good to grow!



Voted as Retailers Choice at the NRHA National Hardware Show

NOTE: Sold in nests of 3, size of single planter may vary from listed dimensions

DESCRIPTION	ITEM #	APPROX. SIZE	APPROX. CAPACITY	APPROX. WEIGHT
Oval Raised Bed Planter - 6'	RBGP216	2'W x 1'H x 6'L	12 cubic feet	27 lbs
Oval Raised Bed Planter - 8'	RBGP318	3'W x 1'H x 8'L	24 cubic feet	38 lbs

NOTE: Special lead time may apply to some products



TARTER
FARM AND RANCH EQUIPMENT

FIRE RING

EASY SETUP: One-piece construction is perfect for fires at home or on the campsite.

LIGHTWEIGHT AND DURABLE: High quality galvanized steel withstands the heat while still being light and easy to transport to any location.

JUST RIGHT: 12" height helps keep embers hot for longer burn times and helps accommodate more wood.

SAFETY FIRST: Smooth, rolled top and durable steel construction helps keep embers contained and you and your family safe.



Imagine gathering the family around a blazing bonfire in your backyard or reminiscing with old friends at the campsite. Tarter's 3' Fire Ring is constructed of high quality galvanized metal, offering years of reliable, safe use at the farm, ranch or campsite. The 12" tall design keeps embers hot for longer burn times and can accommodate more wood. Keep the home fires burning safely with Tarter's Fire Rings.



NOTE: Sold in nests of 3, size of single ring may vary from listed dimension.

DESCRIPTION

Fire Ring

ITEM #

FR3

APPROX. SIZE

1'H x 3'Dia.

APPROX. WEIGHT

31 lbs

NOTE: Special lead time may apply to some products

"WE BOUGHT OUR FIRST TARTER TANK FIVE YEARS AGO. IT IS NOW THE ONLY TANK WE WILL BUY. THEY ARE DURABLE, EASY TO FLIP AND CLEAN. THANK YOU FOR MAKING A GREAT PRODUCT."

- JA Crews







HOMESTEAD PLANTERS

EASY SETUP: Create a garden in minutes with no assembly or tools required.

LIGHTWEIGHT AND DURABLE: Lasts longer than wooden planters.

MULTIPLIES YOUR HARVEST: Produces twice the vegetables in half the time.

A CLASSIC TOUCH: Copper finish is as tough as it is durable, adding a timeless touch to your home.



No matter where you call home, let Tarter help you show off your green thumb with a touch of southern flair with our Homestead Planters! Perfect for edibles and ornamentals, these planters produce twice the amount per square foot than traditional gardens. With Tarter's Homestead Planters you can often plant earlier and harvest later to extend the growing season. Create an instant garden anywhere - just add soil and seeds and you're good to grow!

NOTE: Sold in nests of 3, size of single planter may vary from listed dimensions



DESCRIPTION	ITEM #	APPROX. SIZE	APPROX. CAPACITY	APPROX. WEIGHT
Homestead Copper Planter Round - 2'	HDPRC22	2'H X 2'Dia.	7 Cubic Feet	27 lbs
Homestead Copper Planter Oval - 4'	HDPOC224	2'H x 2'W x 4'L	14 Cubic Feet	46 lbs
Homestead Copper Planter Oval - 6'	HDPOC226	2'H x 2'W x 6'L	23 Cubic Feet	63 lbs

NOTE: Special lead time may apply to some products



OVAL ULTRA 100 WITH E-Z ACCESS DRINKER

TARTER TOUGH: Withstands harsh weather conditions and is rust-resistant.

E-Z ACCESS: Large automatic drinker provides a way for pigs and other small animals to drink at a comfortable level.

ROLLED RIM TOP: Strong steel tubing adds a reinforced layer of protection.

REINFORCED SIDING: The sides of our tanks are designed for maximum strength.

ITEM #	CAP.	APPROX. SIZE	APPROX. WEIGHT
WTD224	96 Gal	2' x 2' x 4'	60 lbs

TANK ACCESSORIES

ANTI-FREEZE: Keep water from freezing in any stock tank with thermostatically controlled de-icer. A 250 and 500 watt option provide heating options for small and large tanks, while a 6' cord helps maximize safety.

EASY FILL: Outfit your tank with a float valve and forget about over-filling. This device will shut off the flow automatically once the tank has been filled.

UDI 250/UDI500

WTFV



DESCRIPTION	ITEM #	H	W	L	APPROX. WEIGHT
Multi-Use Utility De-Icer 250 Watt	UDI250	1.5"	4"	7"	1.5 lbs
Multi-Use Utility De-Icer 500 Watt	UDI500	1.5"	4"	7"	1.5 lbs
Water Tank Float Valve	WTFV	3.75"	3.75"	7.5"	1.33 lbs





BIG BLUE POLY TANK

POLY TOUGH: Durable polyethylene construction will never rust or corrode.

DEEP WELL: The single-molded tank will hold up to 650 gallons of water so your livestock will never be thirsty.

ITEM #	CAP.	H	DIA.	APPROX. WEIGHT
WTP82	625 Gal	24"	96"	85 lbs

TUFF TANKS

POLY TOUGH: Durable polyethylene construction will never rust or corrode.

SAFETY FIRST: Smooth edges provide animal safety and versatility.

CUSTOM FIT: Paintable material and a variety of sizes makes these tanks a great solution.



AD34

DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	DIAMETER
15 Gallon Oval Tuff Tank	KMT103	8"	22"	28"	—
30 Gallon Oval Tuff Tank	KMT102	12"	25"	35"	—
40 Gallon Oval Tuff Tank	KMT101	13"	27"	38"	—
110 Gallon Oval Tuff Tank	KMT100	20"	36"	53"	—
140 Gallon Oval Tuff Tank	KMT99	20"	38"	56"	—
180 Gallon Oval Tuff Tank	KMT98	24"	40"	58"	—
25 Gallon Round Tuff Tank	KMB103	13"	—	—	28"
54 Gallon Round Tuff Tanks	KMB101	21"	—	—	33"
37 Gallon Feed Drum With Lid	KMW105	24"	—	—	24"
Bulk Head Adapter/Plug Kit	AD34	—	—	—	—

"WHEN WE FIRST STARTED OUR SMALL FARM, OUR FIRST PURCHASE WAS OUR TARTER STOCK TANK. IT HAS SERVED MANY PURPOSES; FROM A BROODER FOR OUR FIRST CHICKS, TO NOW A WATER SOURCE FOR OUR DONKEYS AND GOATS. THE QUALITY AND DURABILITY OF THE STOCK TANK HAS LED US TO TURN TO TARTER AGAIN AND AGAIN AS WE GROW OUR FARM."

- Savanna McMichael



FRONT ATTACH IMPLEMENT S

Turn your productivity up a few notches with these additions to your tractor. Move hay bales, clean up debris, or even plow snow. Tarter's Front Attach Implements save you time.



**"I REALLY LIKE HOW TOUGH
THE FORKS ARE AND DON'T
BEND, IT'S ALSO REALLY
EASY TO ADJUST AND
ATTACH TO THE TRACTOR!
IT'S A ONE MAN JOB!"**

*- Jordon Withers
T&B Drilling INC, KY*



PALLET FORK

THIS PRO-LEVEL ATTACHMENT FROM TARTER IS ONE OF THE TOUGHEST IN IT'S CLASS.



TARTER TOUGH



ADJUSTABLE



VERSATILE



READY TO WORK

If you are looking for a great all-around tool for your homestead, look no further than Tarter's Pallet Fork. Simply attach this implement to the front of your machine and start working. Great for moving pallets of feed, unloading equipment from taller trailers, and other heavy lifting tasks - this implement will get the job done. Heavy-duty steel is laser cut while robotic assisted welders assemble the unit; providing unparalleled precision and accuracy. The tines are heavy-duty and heat treated for superior strength and durability. This do-it-all implement is the perfect companion to your loader-equipped tractor.



UNIVERSAL: Compatible with most quick-attach loaders.



FULLY ADJUSTABLE: Spring-loaded latches allow fork spacing from 0-37".



HEAVY LIFTER: Replaceable ITA style heat-treated forks provide a maximum lift capacity of 3000 lbs.*

ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
PFQA	34.5"	45.5"	48"	3000 lbs*	368 lbs

**Capacity based on balanced load placed no more than halfway out from head unit. Do not exceed the capacity of your front-end loader attachment or tractor.*



BUCKET-MOUNT RAKE

A UNIQUE MULTIPURPOSE LOADER BUCKET ATTACHMENT THAT IS SURE TO SAVE YOU TIME AND MONEY.

MULTI-TOOL: Used to remove brush, maintain and level gravel areas, prepare food plots, gardens and more!

EASY SETUP: Easily attaches to loader buckets with included hardware - NO DRILLING REQUIRED!

HEAVY DUTY: Half-inch thick plate steel and durable, corrosion-resistant finish provide superior durability.



DESCRIPTION

52" Bucket Rake

68" Bucket Rake

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
BR52	8"	52"	10"	83 lbs
BR68	8"	68"	10"	100 lbs

FRONT-ATTACH SUPER BALE SPEAR

THE QUICK AND EASY SOLUTION FOR SORTING AND STACKING LARGE ROUND BALES.

UNIVERSAL: Compatible with most quick-attach front-end loaders.

STRONG & SECURE: Heavy-duty, heat-treated spear easily overcomes even the tightest bales with a lift capacity of up to 2200 lbs*.

DURABLE CONSTRUCTION: Replaceable spears and heavy-gauge plate steel for years of trouble-free use.

**Implement capacity only, do not exceed the lift capacity of your front-end loader attachment or tractor.*



ITEM #	HEIGHT	WDITH	LENGTH	SPEAR	STABILIZERS	APPROX. WEIGHT
QASS	22"	48"	54"	44"	13"	193 lbs





BUCKET MOUNT SUPER BALE SPEAR

PROVIDES A QUICK AND EASY WAY TO LIFT ROUND BALES

EASY MODE: Mounts and dismounts with a single bolt - without needing to remove the bucket.

STRONG & STABLE: Welded stabilizer bars and heat-treated super spear provide extra hold and add stability.

CAPABLE: Lift bales up to 2000 lbs with ease.*

ITEM #	HEIGHT	WIDTH	LENGTH	SPEAR	STABILIZERS	APPROX. WEIGHT
BSBL	8.75"	30.25"	61.5"	45"	15"	65 lbs

**Implement capacity only, do not exceed the lift capacity of your front-end loader attachment or tractor.*

SNOW PUSHER

EASILY MANAGE SNOWFALL WITH YOUR TRACTOR OR COMPACT LOADER.

UNIVERSAL: Compatible with most quick-attach front-end, skid steer, and compact track loaders.

BUILT TO LAST: 8" adjustable wear edge is replaceable for easy maintenance

POWER THROUGH: With a blade depth of 33", this implement is suited for even the most challenging conditions



DESCRIPTION	ITEM #	H	W	L	HP RATING	APPROX. WEIGHT
6' Front-Attach Snow Pusher	QASP6	30"	74"	28"	30-70(tractor) 30-60(skid steer)	448 lbs
8' Front-Attach Snow Pusher	QASP8	36"	94"	33"	55-100(tractor) 40-80(skid steer)	605 lbs



3-POINT TRACTOR IMPLEMENTS

Hitch a Tarter implement to your tractor to tackle chores, finish projects, or create a garden. Tarter has the largest selection of 3-point equipment to fit your needs.

"YOUR EQUIPMENT IS EXCELLENT FOR MY OPERATION AND I CAN'T WAIT TO USE IT EVERY TIME I HOOK IT UP! THANK YOU FROM THE BOTTOM OF MY HEART. YOUR COMPANY IS EXCELLENT!"

- Steve Acres



WHICH IMPLEMENT DO I NEED?

IMPLEMENT	ESSENTIAL FUNCTION	PRIMARY USE	PAGE NUMBER
Rotary Cutters	CUTTING	Cutting grass and light brush	176 - 179
Subsoilers	DRAINAGE	Creating drainage channels	181, 182
Wire Fence Stretcher	FENCE BUILDING	Stretch rolled, woven wire fence	192
Box Blades	GRADING/LEVELING	General earth moving	164 - 167
Land Grader	GRADING/LEVELING	Leveling earth, smoothing gravel driveways	174
Rear Grader Blades	GRADING/LEVELING	Scraping/general earth moving	168, 173
Hay Spears	HAY MOVING	Moving Round Bales of Hay	191
Boom Poles	LIFTING/RIGGING	Lifting/loading	188
Finish Mowers	MOWING	Cutting grass	180
Fertilizer Spreaders	PLANTING/SEEDING	Spreading seed/fertilizer	190
Landscape Rakes	SMOOTHING/LEVELING	Smoothing gravel/other rock	170, 172
Rotary Tillers	TILLAGE	Prep ground for planting	160, 162
Tillage Discs	TILLAGE	Prep ground for planting	185 - 187
Middle Busters	TILLAGE	Harvesting potatoes, create rows	181, 182
Plows	TILLAGE	Break ground for field prep	183
One Row Cultivator	TILLAGE	Cultivating between planted rows	184
Trailer Mover	UTILITY	Moving Gooseneck and Conventional tow trailers	189
Carry All	UTILITY	Transport materials and supplies	189



ROTARY TILLERS

STIR IT UP: If you have gardening or food plot projects, this tiller easily cultivates, aerates and stirs up the soil to prep your land properly for seed or planting.

DIG DEEP: Our adjustable runners till up to 7" in depth after multiple passes and the reverse rotation option breaks up the toughest ground. Self sharpening heat-treated cutting tines are long lasting and powerful.


SMART DESIGN: With a heavy-duty slip clutch, there's less worry about damaging the PTO in case the implement jams on a rock or foreign object.

BUILT TO LAST: The powder coat finish helps prevent corrosion so your implement will last for years.



TRACTOR HP REQUIRED

20-60 HP



IMPLEMENT WIDTHS

48", 60", 72", 84"



HITCH TYPES

CAT 1.

ROTARY TILLER MODELS

	RT4	RT5	RT6	RT7
Recommended tractor horsepower	20-40	25-50	30-55	45-60
Weight	591 lbs	638 lbs	718 lbs	800 lbs
Working width	46½"	58¾"	70½"	82½"
Overall width	52½"	64"	76"	89"
Max working depth	7"	7"	7"	7"
Hitch	Cat 1 & quick hitch compatible			Cat 1 & 2 quick hitch compatible
Driveline	540 RPM slip clutch protection			
Number of flanges on rotor	6	7	9	10
Number of tines per flange	6	6	6	6
Rotor rotation	Reversible (FWD/REV)			
Rotor shaft speed	211 rpm @ 540 rpm PTO			
Skid shoes	Adjustable (½", 1½", 2½")			
Top gearbox construction	Cast iron housing, hardened steel gears			
Side gearbox construction	Formed steel housing, hardened steel gears			
Gearbox lubrication	90W gear oil (GL5-85W 140)			



Heavy duty tines provide a digging depth of up to 7".



Side gearbox provides easy access for maintenance.



SUB-COMPACT ROTARY TILLER

THICK STEEL CUTTING TINES: Long lasting, powerful and effective.

FOUR DEPTH LEVELS: For mixing loose soil or breaking up the toughest ground.

DESIGNED FOR RUGGED TERRAIN: Built "Tarter Tough" at every key point.



TRACTOR HP REQUIRED

15-35 HP



IMPLEMENT WIDTHS

48"



HITCH TYPES

CAT 1.

SUB-COMPACT ROTARY TILLER

Item	RT4LD
Recommended tractor horsepower	15-35
Weight	470 lbs
Hitch	Limited cat 1 & quick hitch compatible
Working width	46½"
Tilling depth	Up to 7"
Overall width	51½"
Power take-off speed	540
Flanges per rotor	6
Tines per flange	4
Rotor rotation	Reversible (FWD/REV)
Rotor shaft speed	211 rpm @ 540 rpm PTO
Skid shoes	Adjustable (½", 1½", 2½")
Top gearbox construction	Cast iron housing, precision forged steel gears
Top gearbox lubrication	EP 80-90W gear oil
Side gearbox construction	Formed steel housing, hardened steel gears
Side gearbox lubrication	EP 80-90W gear oil





BOX BLADES

PERFORMS COUNTLESS JOBS: Collects gravel, smooths rough spots, levels ruts, potholes, driveways, etc.


FOUR DEPTH LEVELS: Adjustable ripper shanks allows for mixing loose soil to breaking up the toughest ground.

DURABLE BACK BLADE: Handily moves dirt and gravel for backfilling a ditch.



TRACTOR HP REQUIRED

18-35 HP



IMPLEMENT WIDTHS

60", 72"



HITCH TYPES

CAT 1.

BOX BLADE MODELS

	BB5	BB6
Recommended Tractor Horsepower	18-35	18-35
Hitch Type	Cat 1 & quick hitch compatible	Cat 1 & quick hitch compatible
Working Width	60 ³ / ₄ "	72 ³ / ₄ "
Weight (lb)	395 lbs	445 lbs
Number of Shanks	5	6
Height of Moldboard	17"	17"
Side Panels	5/16" thick	5/16" thick
Depth of Bucket	22"	22"
Height	34"	34"
Vertical Shank Position	4 position (1/2" increments from 2 ³ / ₄ " above sideplates to 2" below)	
A-Frame Material	1/2" steel	
Cutting Edges	2 ³ / ₈ " x 6" high carbon heat treated blades (replaceable)	
Shank Beam	4" square tubing 1/4" thick	



Push or pull - blades on both sides of bucket expand functionality.



Ripper shanks can be raised completely for bucket-only operation.



SUB-COMPACT BOX BLADE

PERFORMS COUNTLESS JOBS: Collects gravel, smooths rough spots, levels ruts, potholes, driveways, etc.


FOUR DEPTH LEVELS: Adjustable ripper shanks allows for mixing loose soil to breaking up the toughest ground.

DURABLE BACK BLADE: Handily moves dirt and gravel for backfilling a ditch.



TRACTOR HP REQUIRED

17-25 HP



IMPLEMENT WIDTHS

48"



HITCH TYPES

CAT 0.

SUB-COMPACT BOX BLADE

Item	BBSC4
Recommended tractor horsepower	17-25
Weight	270 lbs
Hitch	Cat 0 spacing - cat 1 pins pre-installed
Working width	49 $\frac{1}{4}$ "
Moldboard height	12 $\frac{1}{4}$ "
Side panels	$\frac{1}{4}$ " plate steel
Depth of bucket	18"
Number of shanks	4
Shank position	4 position/removable (1 $\frac{1}{2}$ " incremental adjustments; 3"- 9" below side panel
A-frame material	$\frac{3}{8}$ " plate steel
Cutting edges	2 $\frac{3}{8}$ " x 6" high carbon, heat-treated blades (replaceable)
Shank beam	2" x 4" rectangular tubing; $\frac{1}{2}$ " thick



Custom sized implement is perfect for sub-compact tractors.



Ripper shanks help break up hard or compacted ground.



GRADER BLADES

MAXIMUM GRADING: Sand, snow, or gravel - whatever you need to scrape, this implement can handle the job. It features a $\frac{1}{4}$ " blade with $\frac{1}{2}$ " thick replaceable cutting edge for added durability.

EASY TO USE: Pull-pin design allows you to easily adjust the blade angle - with 5 positions in forward and reverse.

BUILT TARTER TOUGH: Features our durable, corrosion resistant powder coat finish to protect your investment.



TRACTOR HP REQUIRED

20-45 HP



IMPLEMENT WIDTHS

60", 72", 84"



HITCH TYPES

CAT 1.

GRADER BLADE MODELS

Item	GB5	GB6	GB7
Recommended Tractor Horsepower	20-45	20-45	20-45
Hitch	Cat 1 & quick hitch compatible	Cat 1 & quick hitch compatible	Cat 1 & quick hitch compatible
Working Width	60"	72"	84"
Weight	197 lbs	213 lbs	232 lbs
Moldboard Height	15"	15"	15"
Moldboard Thickness	1/4"	1/4"	1/4"
Angling	5 FWD/ 5 REV up to 45° right or left		
Cutting Edge	3/8" x 6" high carbon heat treated blades (replaceable)		



Easily adjust blade angle to move material exactly where you need.



Push or pull blade assembly is easily reversible, providing superior flexibility for completing any job.



LANDSCAPE RAKES

RAKE, SMOOTH, CONTOUR: High carbon curved tines are sturdy for all types of raking jobs, and replaceable if needed.

READY TO WORK: Can be rotated a full 360° with 5 angle settings each in the forward and reverse positions.

REVERSE SETTING: Makes it easy to push rocks, roots, and other debris into a pile for easy cleanup.

WHEELS UP: Equip this implement with the optional wheel kit for easy above grade adjustments.




shown with optional wheel kit - LRWK



TRACTOR HP REQUIRED

19-40 HP



IMPLEMENT WIDTHS

60", 72", 84"



HITCH TYPES

CAT 1.

LANDSCAPE RAKE MODELS

Item	LR5	LR6	LR7
Recommended Tractor Horsepower	19-40	19-40	19-40
Working Width	60"	72"	84"
Weight	195 lbs	215 lbs	238 lbs
Number of teeth	30	36	42
Hitch	Cat 1 & quick hitch compatible		
Teeth spacing	1" Gap		
Angle & Position	5 FWD/5 REV up to 45° right or left		
OPTIONAL Wheel Kit	LRWK (fits all models)		



Rake is easily reversible, allowing you to maneuver in tight spaces.



Durable tines are tough enough for any job.



SUB-COMPACT LANDSCAPE RAKE

CURVED STEEL TINES: Clears roots, rocks, and other debris.

OPTIONAL RAKE ANGLES: Lets you choose where the debris lands.

REVERSE OPTION: Pushes away dirt and debris with ease.

With its curved C-tines - the Tarter Landscape Rake will clear rocks, roots, and other debris off to the side for easier cleanup, and the tines on this implement won't destroy your field by digging too deep.

**Category 1 hookup and Category 0 spacing for sub-compact tractors (Cat. 1 pins included). Not designed for use with tractors over 25 HP.*



Item	LRSC5
Tractor Horsepower	17-32
Hitch	Cat 0 spacing - Cat 1 pins installed
Rake Width	60"
Rake Height	21"
Weight	177 lbs
Number of teeth	30
Teeth Spacing	1' gap
Angle/Position	5 FWD/5 REV - 45° right or left

SUB-COMPACT REAR GRADER BLADE

MULTIPLE USES: Leveling, backfilling, finish grading, etc.

ADJUSTABLE BLADE ANGLES: Push and place materials in any direction.

DURABLE AND CORROSION-RESISTANT: Tough enough for any job, in any kind of weather.

Tarter's Sub-Compact Rear Grader Blade is perfect for grading or scraping gravel, sand, dirt and snow. This implement is what you need for leveling, backfilling and finish grading on your farm or ranch.

**Category 1 hookup and Category 0 spacing for sub-compact tractors (Cat. 1 pins included). Not designed for use with tractors over 25 HP.*



Item	RBSC5
Tractor Horsepower	18-32
Hitch	Cat 0 spacing - Cat 1 pins installed
Working Width	60"
Weight	168 lbs
Moldboard Height	12 $\frac{1}{2}$ "
Moldboard Thickness	$\frac{1}{4}$ "
Angle/Position	5 FWD/5 REV - 45° right or left
Cutting Edge	$\frac{3}{8}$ " x 6" high carbon, heat-treated blades (replaceable)





6' LAND GRADER

BUILT FOR TOUGH JOBS: Ideal for grading driveways, leveling land, filling potholes and ditches or reconditioning gravel roads.

DOUBLE DUTY: This implement has dual cutting edges for maximum grading with a 72" width and extra length for improved leveling.

EASY ATTACH: Quick-hitch compatible category 1 hookup.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder coat finish to protect your investment.



TRACTOR HP REQUIRED

18-55 HP



IMPLEMENT WIDTHS

72"



HITCH TYPES

CAT 1.

LAND GRADER

Item	LG6
Recommended tractor horsepower	18-55 hp
Hitch	Cat 1 & quick hitch compatible
Working width	72"
Overall width	77"
Height	36"
Length	49"
Weight	458 lbs
A-frame material	½" x 3" steel
Cutting edges	2 ⅜" x 6" high-carbon, heat-treated blades (replaceable)
Skid shoes	Replaceable ⅜" formed steel



NOTE: Special lead time may apply to some products



ROTARY CUTTERS

READY TO WORK: Easily handles small limbs and branches.

DURABLE HEAT TREATED BLADES: Made of thick "Tarter Tough" steel that will last season after season.


STUMP JUMPER: Avoids damage by lifting the mower up and over rocks and obstacles.



shown with optional guard kit



TRACTOR HP REQUIRED
18-65 HP



IMPLEMENT WIDTHS
48", 60", 72"



HITCH TYPES
CAT 1.

ROTARY CUTTER MODELS

	RBRC402	RBRC502	RBRC602
Recommended tractor horsepower	18-45	20-50	25-65
Weight	385 lbs	426 lbs	556 lbs
Cutting width	48"	60"	72"
Overall width	51"	64"	75"
Overall length (Including tailwheel)	77"	86"	93"
Blade tip speed	9,982 ft./min.	12,478 ft./min.	14,974 ft./min.
Hitch	Cat 1 & quick hitch compatible		
Deck height	7½"	7½"	7½"
Cutting height	1.5-9"	1.5-9"	1.5-9"
Cutting capacity	up to 1" diameter	up to 1" diameter	up to 1" diameter
Power take-off speed	540	540	540
Gearbox	45 hp cast iron housing, precision forged steel gears		
Gearbox lubrication	EP 80-90W gear oil		
Deck material thickness	12 Ga.	12 Ga.	12 Ga.
Stump jumper	⅛" Thick, round 22.3" pan-type		
Blades	½" x 3" Heat-treated free swinging w/suction lift		
Driveline	ASAE Cat 4 shear bolt protection		
Driveline protection options	Shear bolt		
Tailwheel	15" Laminated Tire		
Safety guards	Optional rubber front/metal rear		
Blade bolt size	42mm socket		
Shear bolt	½" x 3½" Grd 2 hex bolt		
Castle nut on gearbox	38mm socket		
OPTIONAL front rubber guard kit	9000148	9000149	9000150
OPTIONAL rear metal guard kit	9000151	9000152	9000153
OPTIONAL front rubber & rear metal guard kit	9000154	9000155	9000156



NOTE: Special lead time may apply to some products



SUB-COMPACT ROTARY CUTTER

READY TO WORK: Easily handles small limbs and branches.


DURABLE HEAT TREATED BLADES: Made of thick "Tarter Tough" steel that will last season after season.

STUMP JUMPER: Avoids damage by lifting the mower up and over rocks and obstacles.



TRACTOR HP REQUIRED

18-32 HP



IMPLEMENT WIDTHS

48"



HITCH TYPES

CAT 0.

SUB-COMPACT ROTARY CUTTER

Item	RCSC4
Recommended Tractor Horsepower	18-32
Weight	350 lbs
Hitch	Cat 0 spacing - cat 1 pins pre-installed
Cutting width	48"
Overall width	50"
Overall length (includes tailwheel)	69"
Deck height	7½"
Cutting height	2" minimum
Cutting capacity	< 1"
Power take-off speed	540
Gearbox	45hp Cast iron housing, precision forged steel gears
Gearbox lubrication capacity	EP 80-90W gear oil - 23 ounces
Deck construction	14 gauge top, 11 gauge sides
Stump jumper	⅛" thick, 22½" round pan-type
Blades	½" x 3" Heat-treated forged blades. Free-swing with suction lift
Blade bolt size	42mm socket
Blade tip speed	9,982 ft./min
Driveline	ASAE cat 4 shear bolt protection
Tailwheel	Dual adjustable height rubber
Safety guards	Rubber front/rear guards available
Shear bolt	½" x 3½" Grd 2 hex bolt
Castle nut on gearbox	38mm socket



FINISH MOWERS

CUTS WITH EASE: Rear discharge leaves an even finish and makes it easy to maneuver.

EVEN CUT: Floating top link allows mower to articulate over uneven terrain, leaving a clean even finish.

QUICK-HITCH COMPATIBLE: Allows you to quickly connect and disconnect from most any tractor - saving time when tackling multiple jobs.



Item	FM5	FM6
Recommended tractor horsepower	20-60 hp	20-60 hp
Cutting width	60"	72"
Height	34"	34"
Length	71"	73"
Weight	628 lbs	670 lbs
Hitch	Cat 1 & quick hitch compatible w/floating top link	
Gearbox	Cast Iron Housing w/heat-treated gears	
Blade spindles	3 cast iron housings/greasable bearings	
PTO speed	540 rpm	
Discharge	rear	
Cutting height	3/4" - 5/4" adjustable bushings	
Caster wheel	10" diameter tires x 3" wide with nylon bushing	

MIDDLE BUSTER

CUTS WITH EASE: If you're a gardener or potato grower, you're going to love how this middle buster cuts through the ground with ease.

DIG DEEP: Dig as shallow as 6", or up to a foot of cutting depth.

EASY TO USE: 15" double wing cutting blade and quick hitch compatible Category 1 pins make hooking up easy.

Item	MB
Tractor Horsepower	25-45
Hitch	Cat 1 & quick hitch compatible
Height	33"
Width	32"
Length	15"
Weight	70 lbs



SUBSOILER

WATER BE GONE: It's hard to plant with water accumulation. Tarter's subsoiler takes care of that.

FITS MANY SIZES: Recommended for tractors with PTO between 25 and 45 horsepower.

BUILT TARTER TOUGH: Features a $\frac{3}{4}$ " x 4" solid steel shank with reversible sloped point. The corrosion-resistant powder coat finish protects your investment for years.

Item	SUB
Tractor Horsepower	25-45
Hitch	Cat 1 & quick hitch compatible
Height	49"
Width	32 $\frac{1}{2}$ "
Length	16"
Weight	86 lbs



SUB-COMPACT MIDDLE BUSTER/ SUBSOILER COMBO

SUBSOILER: Breaks up tough ground and gets rid of standing water.

MIDDLE BUSTER: Plows up potatoes and other root vegetables.

ACCELERATES PLANT GROWTH: Increases water movement and aeration.



Item	MBSSSC
Tractor Horsepower	17-25
Hitch	Cat 0 spacing - Cat 1 pins installed
Height	31"
Width	27"
Length	12"
Weight	35 lbs
Moldboard/Tine Dimensions	12" x 11' double-wing cutting blade. Can be replaced with subsoiler point

TURNING PLOWS

EXTREME GROUND MAKEOVER: Does the job even on the toughest ground.

TARTER TOUGH: Sturdy frame and 14" plow shares make quick work of your plot.

SINGLE OR DOUBLE: Available in 1 or 2-bottom variants, and quick hitch compatible Category 1 pins make hooking up fast and simple.



Item	1BP	2BP
Recommended tractor horsepower	25-50	25-50
Weight	256 lbs	479 lbs
Number of mold boards	1	2
Hitch	Cat 1	
Mold board dimensions	14" (W) x 21" (L) x 16" (H)	





ONE ROW CULTIVATOR

GROW YOUR OPTIONS: Work the land or your garden. Perfect for planting small row crops like potatoes, corn, or tomatoes.

BREAKS UP DIRT: 6 cultivator tines in staggered rows break up the dirt and distribute moisture for planting.

EASY & ADAPTABLE: A simple bolt adjusts the implement width. Category 1 quick-hitch compatibility makes it easy to attach to your tractor.



Item	CUL
Tractor horsepower	19-45
Hitch	Cat 1 & quick hitch compatible
Height	36"
Width	50 1/2"
Length	37"
Weight	139 lbs

7' TILLAGE DISC

GROUND BREAKING: Ideal for preparing soil for planting. Front and rear disc gangs with adjustable angles cut a 7' swath with each pass.

TARTER TOUGH: Heavy-duty box frame provides durability and sealed bearings extend the disc's lifespan.

QUICK & EFFICIENT: Both notched and smooth blades work to get the job done efficiently. Quick hitch compatible Category 1 pins make hookup a breeze.

BUILT TO LAST: The powder coat finish helps prevent corrosion so your implement will last for years.



Item	HDD7
Tractor horsepower	30-55
Hitch	Cat 1 & quick hitch compatible
Cultivation width	85"
Height	41"
Length	53½"
Weight	846 lbs
Disc blades	10- 18", 3mm notched 10- 18", 3mm smooth
Disc blade spacing	7½"
Bearing type, per gang	Replaceable sealed, 2 per gang
Gang tube	3" Sq. tube ¼" thick
Gang axle	2-22 degree front gang, 11-22 degree rear gang





6' TILLAGE DISC

GROUND BREAKING: The implement you need to prepare soil for planting. Front and rear disc gangs with adjustable angles cut a 6.5' swath with each pass.

QUICK & EFFICIENT: Both notched and smooth blades work to get the job done efficiently. Quick hitch compatible Category 1 pins make hookup a breeze.

BUILT TO LAST: The powder coat finish helps prevent corrosion so your implement will last for years.



Item	MDD6
Tractor horsepower	22-40
Hitch	Cat 1 & quick hitch compatible
Cultivation width	75"
Height	41"
Length	50"
Weight	553 lbs
Disc blades	10- 18", 3mm notched 10- 18", 3mm smooth
Disc blade spacing	7½"
Bearing type (X per gang)	Replaceable sealed, 2 per gang
Gang tube	N/A
Gang axle	2.5-15 degree

SUB-COMPACT DISC

HEAVY DUTY STEEL NOTCHED BLADES: Perfectly preps and tills for vegetable plots and gardens.

ADJUSTABLE ANGLES: Positions to aggressively dig up dirt, cutting a 5' swath with each pass.

HEAVY DUTY FRAME: Tough enough for any job.



Item	DSC5
Tractor horsepower	18-32
Hitch	Cat 0 spacing - Cat 1 pins installed
Cultivation width	62½"
Height	30½"
Length	53"
Weight	407 lbs
Number of blades	16
Blade type	14" x 3mm notched
Blade spacing	7½"
Bearing type	Sealed (replaceable) x 2 per gang
Gang axle	2.5 - 15°






LIFTING BOOM POLES

WORKS FOR YOU: If you've got a job involving heavy lifting, our boom pole will do the work for you. Extra loops and a heavy duty option provide additional height and capacity.

SAVE TIME & MANPOWER: Load items on trailers, pull up old fence posts, or haul some heavy lumber quickly and easily.

BUILT TARTER TOUGH: Thick steel tubing and quick hitch compatible Category 1 and 2 pins for a lifetime of use.



Item	BP	HDBP
Tractor Horsepower	20 Minimum	20 Minimum
Hitch	Cat 1	Cat 1 & 2
Height	25½"	24½"
Width	32"	40"
Length	85.5"	95"
Weight	66 lbs	150 lbs
Capacity*	1000 lbs - mid loop 500 lbs - end loop	2000 lbs - mid loop 1000 lbs - end loop

**Implement capacity only, do not exceed the lift capacity of your tractor.*



TRAILER MOVER

MOVE WITH EASE: If you've got trailers and wagons weighing up to 3,000 lbs*, easily move them with our trailer mover.

HOOK UP AND GO: Waste no time with raising and lowering jacks.

VERSATILE RECEIVER: Standard 2" receiver accepts hitches for pin drop wagons or conventional trailers, while the included 2 5/16" Gooseneck ball allows you to move larger trailers.

NOTE: For moving unloaded/empty trailers ONLY. Do not exceed lift capacity of tractor.

Item	TM
Tractor Horsepower	20 Minimum
Hitch	Cat 1
Height	28"
Width	33"
Length	8 1/4"
Weight	47 lbs
Capacity*	3000 lbs

CARRY ALL

MAXIMUM PRODUCTIVITY & MINIMAL EFFORT:

Need to move feed bags, sod or anything unwieldy? Tarter's carry all is like an extra set of hands that can move up to 1000 lbs.*

READY TO WORK: Pre-drilled holes allow you to easily attach a platform for moving or carrying larger items.

EASY INSTALLATION: 3-point rear attach frame easily installs on tractors 20-45 horsepower and includes quick-hitch compatible Category 1 hitch.

Item	CA
Tractor Horsepower	20 Minimum
Hitch	Cat 1
Height	36"
Width	33"
Length	36"
Weight	86 lbs
Capacity*	1000 lbs

*Implement capacity only, do not exceed the lift capacity of your tractor.





FERTILIZER SPREADERS/ SEEDERS

TAKE THE GUESSWORK OUT OF SPREADING: Side discharge hopper guarantees greater accuracy and the attached spreading chart highlights the exact amounts needed for your job.

BUILT TARTER TOUGH: Epoxy painted frame offers superior durability and extended life.



FS



PFS

Item	FS	PFS
Tractor horsepower	24 Minimum	18 Minimum
Hitch	Cat 1	Cat 1
Height	42"	36"
Tub Dia.	40"	37"
Tub Capacity	850 lbs	500 lbs
Unloaded Weight	135 lbs	75 lbs
Major Const.	Steel tube frame, formed metal tub	Steel tube frame, poly tub
Spread Width	12-60'	
Operating Speed	2.5-8 mph	
Spreading Media	Fertilizer/Seed	

HAY SPEARS

SAVE TIME AND EFFORT: Makes light work of a heavy task, quickly and easily move round bales of hay.

HANDLES A TON: The heavy duty option is stout enough for a 2000 lb* bale, while the standard version is rated at 1500 lbs.*

EVERYTHING YOU NEED: Replaceable spears and quick hitch compatibility make this implement a breeze to use.



Item	HF	SST
Tractor Horsepower	20 Minimum	20 Minimum
Capacity*	1500 lbs	2000 lbs
Hitch	Cat 1	Cat 1 & 2
Weight	64 lbs	98 lbs
Spear Dia.	1.8" Tapered	
Spear Length	48 ³ / ₄ "	
Stabilizer Spikes	2 x 1 ¹ / ₄ " Dia.	

**Implement capacity only, do not exceed the lift capacity of your tractor.*



**"THIS IS THE QUICKEST
I'VE EVER PUT UP A
FENCE, THIS THING
MAKES IT SO EASY!"**

- Tony Foster



WIRE FENCE STRETCHER/UNROLLER

NO CREW, NO PROBLEM: 3-point stretcher lets one person easily handle the fencing work of an entire crew. Stretches your fence to desired tightness and holds it in place for nailing.

TANGLE FREE: Easily holds spools of heavy wire fencing up to 65" in height without tangling or kinking.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder-coat finish to protect your investment.



TRACTOR HP REQUIRED

20+ HP



HITCH TYPES

CAT 1



Item	WFS
Tractor Horsepower	20 Minimum
Hitch	Cat 1
Height	71"
Width	32"
Length	45"
Weight	181 lbs
Wire Roll Capacity	up to 65" tall, 24" dia.



SHOP TARTER GEAR

CSPCAMPAIGNS.COM/TARTERRETAIL/SHOP/HOME





UTV & ATV IMPLEMENTS

Do more with your ATV & UTV with Tarter's top-of-the-line implements.
Create gardens, food plots, and apply fertilizer - quicker and easier.



COMPACT MANURE SPREADER

AN IDEAL SOLUTION FOR THE HORSE OWNER.

SMALL BUT MIGHTY: Works with ATV/UTV, or riding lawn mowers and holds 13 cubic feet of manure.

SPREADS EASILY: 1-piece extruded aluminum drum with spreading vanes grinds manure quickly and easily.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder coat finish to protect your investment.



ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
MS1002	27"	51"	74"	13 cubic feet	207 lbs

FERTILIZER SPREADER/SEEDER

THE SIMPLE, EASY WAY TO PREPARE FOOD PLOTS, TRAILS AND MORE.

MAKES LIGHT WORK: Quickly fertilize or seed a game plot or garden with our pull-behind spreader/seeder.

LARGE COVERAGE AREA: Spreads 20' in diameter and with a 300 lb/5 bushel capacity.

UNDER OR OVER: Takes the worry out of over or under-fertilizing with its special spreading pattern.



ITEM #	HEIGHT	WIDTH	LENGTH	CAPACITY	APPROX. WEIGHT
ATVS	48"	40"	72"	300 lbs	136 lbs





CHAIN HARROW

MULTI-PURPOSE TOOL: Break up dirt quickly and easily for pastures, smooth out a gravel driveway, or prepare garden soil for planting with this easy-to-use implement.

SEE RESULTS: Attach the drawbar and turn over for extra tough chores. The 4'x4' harrow can be arranged in different configurations depending on your needs.

STORES EASILY: Comes in 4' and 8' lengths and rolls up for storage in a barn or arena corner.

PRO TIP: Use with tines down, facing your tow vehicle for more aggressive digging. Use with tines facing up for less aggressive operations.

DESCRIPTION	ITEM #	WIDTH	LENGTH	ROD SIZE	APPROX. WEIGHT
ATV 4'x4' Chain Harrow - 4' Drawbar	ATVH44	48"	48"	7/16"	73 lbs
ATV 4'x8' Chain Harrow - 4' Drawbar	ATVH48	48"	96"	7/16"	126 lbs
ATV 4'x4' Chain Harrow Section	ATVH4	48"	48"	7/16"	70 lbs
Universal 4' Drawbar	ATVDB4	48"	3"	—	3 lbs

8-BLADE DISC HARROW

EASY TO USE: Pull behind any ATV/UTV or small tractor to till gardens or game plots quickly and efficiently.

DIG DEEP: Adjustable 16" blades provide deep cutting even in compacted soil or sod and blades adjust from 0° to 20° and provide a 48" cutting width.

EASY TO RAISE & LOWER: Two-way ratchet raises and lowers wheels to control pulling weight and makes transport easy.

BUILT TARTER TOUGH: Super heavy-duty steel frame with sealed bearings and features our durable, corrosion-resistant powder coat finish.



ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
ATVTD8	30"	76"	61"	430 lbs



DISC/CULTI-PACKER COMBO

MULTI-PURPOSE MACHINE: Till an area for your garden, create a game plot or clear a trail with this useful piece of equipment. Easily attaches to any ATV/UTV or small tractor.

DOUBLE DUTY: The eight-blade tillage disc cuts deep for soil prep and the culti-packer compacts as it goes. Perfect for smoothing out trails.

EASY RAISE & LOWER: Front-mounted, heavy-duty winch easily raises or lowers the culti-packer. Two-way ratchet raises and lowers wheels for easy transport.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder coat finish to protect your investment.

ITEM #
ATVCPDC

HEIGHT
34"

WIDTH
76"

LENGTH
90"

APPROX. WEIGHT
772 lbs

FLIP DISC

EASY TO USE: Pull behind any ATV/UTV or riding mower to till gardens or game plots quickly and efficiently.

DIG DEEP: The 8 blades are 16" in diameter and turn the soil with ease. The solid steel top bracket can be weighted for more aggressive cutting.

OPTIMUM CUTTING: Features a 55" operating width and a 20-degree angle to cut through a large area.



ITEM #
ATVFD

HEIGHT
32"

WIDTH
55"

LENGTH
63"

APPROX. WEIGHT
231 lbs



COMPACT DISC

EASY TO USE: Pull behind any ATV/UTV to till gardens or game plots quickly and efficiently. Adjustable tongue with 1 $\frac{7}{8}$ " ball hitch for easy towing behind 4-wheelers.

DIG DEEP: 36" wide and 10 notched blades for deep and maximum cutting.

BUILT TARTER TOUGH: Heavy-duty 2" square tube frame and our durable, corrosion-resistant powder coat finish make this the toughest disk around.

ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
ATVCD	28"	36"	75"	300 lbs

WIRE UNROLLER


BACK SAVING: Easily attaches to any standard 2" receiver hitch allowing you to unroll spools of wire fence quickly and easily. ATV option includes adapter to attach to any standard ATV or UTV.

TANGLE FREE: Easily holds spools of heavy wire fencing without tangling or kinking.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder-coat finish to protect your investment.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
2" Receiver Wire Unroller	2RWU	12"	24"	23"	26 lbs
ATV Wire Unroller	ATVWU	12"	24"	25"	32 lbs
ATV Wire Unroller Hitch (to convert 2RWU)	ATVZ232	—	—	—	—

A cowboy in a red shirt and white hat is riding a brown horse, chasing a calf in a rodeo arena. The scene is captured in a dynamic, action-oriented shot. The cowboy is holding a lasso, and the horse is galloping. The calf is running ahead of the horse. The background shows a dirt arena with a metal fence.

RODEO & ARENA EQUIPMENT

Practice like a pro with custom designed rodeo equipment. Our expert team can help you create a superior solution for your expo center, rodeo arena or fairground.



RODEO EQUIPMENT

WHEN IT COMES TO THE SPECIALIZED EQUIPMENT NEEDED FOR ARENAS, FAIRGROUNDS, AND EXPO CENTERS; TARTER OFFERS EXPERT CONSULTATION AND DESIGN.



Tarter is recognized as an industry leader - with products that are engineered to perform in the toughest situations. With over 75 years of experience, Tarter continues to develop innovative solutions that ensure safety to both animal and operator. Our products are used and endorsed by some of the biggest names in the cattle, equine, rodeo and roping organizations in the country.



"WE PUT IN A FULL RODEO ARENA PACKAGE FROM TARTER FOR OUR COLLEGE RODEO TEAM AND WE REALLY LIKE IT! IT HAS MADE MY JOB COACHING MUCH EASIER..."

*- Emit Valnes
SWC Rodeo Coach*



ROPING CHUTES & ACCESSORIES

Welcome to the new standard in roping! Our efficient designs are packed with features and innovation. Built with heavy gauge steel and engineered to perform under the most strenuous conditions, our roping systems are sure to provide years of worry-free use. **Contact a Tarter representative to discuss options for your next event space.**



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Manual Roping Chute - Economy	MRCE*	65"	38"	93"	445 lbs
90° Alley Corner	AC90*	58"	36"	80"	218 lbs
8' Leadup Alley	LAWOB8*	58"	36"	99"	340 lbs
Backstop Only	BO*	6"	12"	24"	14 lbs
Left-Hand Roping Box	LHRB*	42"	80"	153"	240 lbs
Right-Hand Roping Box	RHRB*	42"	80"	153"	240 lbs
Stripping Chute w/Swing Gate Elevated	SCSG*	73"	37"	76"	463 lbs
Stripping Chute Optional Front Ramp	SCFR*	2 1/2"	45"	48"	56 lbs
Roping Sweep System	RSS*	108"	132"	253"	1120 lbs

*Built-to-order product requiring additional lead time

"THE CHUTES ALL OPEN AND CLOSE REALLY NICE AND THE WHOLE ARENA IS VERY USABLE. IT IS ONE OF THE NICEST ARENAS I HAVE EVER SEEN! I WOULD RECOMMEND TARTER TO EVERYONE!"


- Emit Valnes
SWC Rodeo Coach



TARTER
FARM AND RANCH EQUIPMENT

BUCKING CHUTES & ACCESSORIES

Taking the rodeo world by storm with innovative features that put the cowboy and animal first. The Tarter line of bucking chutes and accessories feature heavy-gauge steel and precise construction to ensure years of trouble-free use and maximum safety. We offer nearly endless configuration options; with left or right hand chutes, multiple add-on options, a comprehensive lineup of accessories, and complete alley solutions. **Contact a Tarter representative to discuss options for your next event space.**



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
Left Hand Bucking Chute (Multiple add-ons available, please contact your Tarter Representative)	LHBC*	90"	60"	114"	1820 lbs
Right Hand Bucking Chute (Multiple add-ons available, please contact your Tarter Representative)	RHBC*	90"	60"	114"	1820 lbs
Bucking Chute Platform	BCFP*	46"	100"	61"	278 lbs
Bucking Chute Platform Stairs	BCPS*	43"	17"	59"	122 lbs
Handrail for Stairs	HFS*	70"	24"	59"	20 lbs
8' Super-Stock Sheeted Alley Panel	SSSAP8*	62"	2"	8'	250 lbs
10' Super-Stock Sheeted Alley Panel	SSSAP10*	62"	2"	10'	296 lbs
Super-Stock Rolling Alley Gate	SSRAG3*	74"	37 1/8"	12"	290 lbs
Super-Stock Swinging Alley Gate	SSASAG3*	74"	37 1/8"	5.5"	157 lbs
Super-Stock Alley Frame	SSAF3*	74"	36"	6"	78 lbs
Super-Stock Alley 90° Corner	SSAC90*	83"	45"	52"	476 lbs

*Built-to-order product requiring additional lead time

**"YOU GOTTA HAVE SOMETHING
THAT WILL HOLD UP AND
TAKE THE PRESSURE..."**

- Mike McCravy
MM Cattle Co., GA



SUPER-STOCK PANELS, WALK, RIDE, & DRIVE-THRUS

When cattleman Mike McCravy decided to build a new sale barn, he knew he needed the strongest, and most heavy-duty solution available. The Super-Stock line from Tarter Farm & Ranch features heavy-gauge tubing and innovative construction; providing you with the most robust cattle-handling solution on the market.



Endlessly configurable to meet your exact needs, with a wide variety of sizes and hook-up options available.



Pass-through panels feature heavy-duty double-latch



CONTACT A TARTER REPRESENTATIVE TO DISCUSS YOUR PROJECT!

NOTE: Special lead time may apply to some products

SUPER-STOCK

PANELS, WALK, RIDE, & DRIVE-THRUS



COMMERCIAL-GRADE CONFINEMENT

When you need the toughest, most reliable confinement solution available - turn to Tarter's Super-Stock line. Featuring heavy-gauge 2" steel tubing and precision laser-cut bracing for superior strength and safety. A comprehensive list of options - this commercial grade option delivers durability, safety and flexibility for nearly any application. Our knowledgeable and experienced design and support teams are ready to help you take your facility to the next level.

DESCRIPTION	ITEM #	H	W	L	GATE HEIGHT	APPROX. WEIGHT	CONNECTION
5' Super-Stock Panel	SSP5*	5'	2"	5'	—	78 lbs	FF
10' Super-Stock Panel	SSP10*	5'	2"	10'	—	130 lbs	FF
12' Super-Stock Panel	SSP12*	5'	2"	12'	—	156 lbs	FF
16' Super-Stock Panel	SSP16*	5'	2"	16'	—	207 lbs	FF
10' Super-Stock Panel w/Walk-Thru	SSPWT710*	7'	5"	10'	6'	171 lbs	FF
12' Super-Stock Panel w/Walk-Thru	SSPWT712*	7'	5"	12'	6'	206 lbs	FF
4' Super-Stock Walk-Thru	SSWT74*	7'	5"	4'	6'	138 lbs	FF
6' Super-Stock Walk-Thru	SSWT76*	7'	5"	6'	6'	207 lbs	FF
10' Super-Stock Walk-Thru	SSWT710*	7'	5"	10'	6'	345 lbs	FF
12' Super-Stock Walk-Thru	SSWT712*	7'	5"	12'	6'	414 lbs	FF
6' Super-Stock Ride-Thru	SSRT96*	9'	5"	6'	6'	162 lbs	FF
7' Super-Stock Ride-Thru	SSRT97*	9'	5"	7'	6'	187 lbs	FF
10' Super-Stock Ride-Thru	SSRT910*	9'	5"	10'	6'	271 lbs	FF
10' Super-Stock Ride-Thru BOW ONLY	SSRT910OFF*	9'	5"	10'	—	148 lbs	FF
12' Super-Stock Ride-Thru	SSRT912*	9'	5"	12'	6'	295 lbs	FF
16' Super-Stock Ride-Thru	SSRT916*	9'	5"	16'	6'	432 lbs	FF
12' Super-Stock Drive-Thru	SSDT1212*	12'	5"	12'	6'	327 lbs	FF
10' Super-Stock Arena Panel	SSPA10*	6'	2"	10'	—	137 lbs	MF
12' Super-Stock Arena Panel	SSPA12*	6'	2"	12'	—	164 lbs	MF
16' Super-Stock Arena Panel	SSPA16*	6'	2"	16'	—	218 lbs	MF
4' Super-Stock Arena Walk-Thru	SSAWT74*	7'	5"	4'	6'	96 lbs	MF
6' Super-Stock Arena Walk-Thru	SSAWT76*	7'	5"	6'	6'	192 lbs	MF
10' Super-Stock Arena Walk-Thru	SSAWT710*	7'	5"	10'	6'	240 lbs	MF
12' Super-Stock Arena Walk-Thru	SSAWT712*	7'	5"	12'	6'	288 lbs	MF
6' Super-Stock Arena Ride-Thru	SSART96*	9'	5"	6'	6'	154 lbs	MF
10' Super-Stock Arena Ride-Thru	SSART910*	9'	5"	10'	6'	257 lbs	MF
12' Super-Stock Arena Ride-Thru	SSART912*	9'	5"	12'	6'	308 lbs	MF
16' Super-Stock Arena Ride-Thru	SSART916*	9'	5"	16'	6'	411 lbs	MF
10' Super-Stock Arena Ride-Thru	SSART910MM*	9'	5"	10'	6'	261 lbs	MM
10' Super-Stock Arena Ride-Thru BOW ONLY	SSART910O MM*	9'	5"	10'	6'	178 lbs	MM
12' Super-Stock Arena Ride-Thru	SSART912MM*	9'	5"	12'	6'	294 lbs	MM
12' Super-Stock Arena Drive-Thru	SSADT1212*	12'	5"	12'	6'	327 lbs	MF
2" Panel Clip	PC2						
1.75" Panel Clip	PC134						
Bow Hook-up Adapter	BHA						
Connector Posts	<i>Please contact Tarter Representative</i>						

*Built-to-order product requiring additional lead time

ARENA COMPONENTS

PANELS, WALK, RIDE, & DRIVE-THRUS



PRESENT LIKE NO OTHER


The comprehensive lineup of arena panels and components from Tarter Farm and Ranch feature heavy gauge 1³/₄" tubing complete with heavy-duty connection pins for rock solid construction. Precision laser-cut bracing allows for superior strength and safety for animals and riders alike.

DESCRIPTION	ITEM #	H	W	L	GATE HEIGHT	APPROX. WEIGHT	CONNECTION
6' Heavy Duty Arena Panel	APHD56*	5'	2"	6'	—	55 lbs	MF
8' Heavy Duty Arena Panel	APHD58*	5'	2"	8'	—	65 lbs	MF
10' Heavy Duty Arena Panel	APHD510*	5'	2"	10'	—	80 lbs	MF
12' Heavy Duty Arena Panel	APHD512*	5'	2"	12'	—	102 lbs	MF
16' Heavy Duty Arena Panel	APHD516*	5'	2"	16'	—	128 lbs	MF
6' Heavy Duty Arena Panel	APHD66*	6'	2"	6'	—	70 lbs	MF
8' Heavy Duty Arena Panel	APHD68*	6'	2"	8'	—	85 lbs	MF
10' Heavy Duty Arena Panel	APHD610*	6'	2"	10'	—	100 lbs	MF
12' Heavy Duty Arena Panel	APHD612*	6'	2"	12'	—	125 lbs	MF
16' Heavy Duty Arena Panel	APHD616*	6'	2"	16'	—	165 lbs	MF
6' Economy Arena Panel	AP56*	5'	1.75"	6'	—	30 lbs	MF
8' Economy Arena Panel	AP58*	5'	1.75"	8'	—	39 lbs	MF
10' Economy Arena Panel	AP510*	5'	1.75"	10'	—	45 lbs	MF
12' Economy Arena Panel	AP512*	5'	1.75"	12'	—	55 lbs	MF
16' Economy Arena Panel	AP516*	5'	1.75"	16'	—	80 lbs	MF
4' Arena Walk-Thru	AWTHD574*	84"	4"	4'	5'	121 lbs	MF
6' Arena Walk-Thru	AWTHD576*	84"	4"	6'	5'	149 lbs	MF
10' Arena Walk-Thru	AWTHD5710*	84"	4"	10'	5'	218 lbs	MF
12' Arena Walk-Thru	AWTHD5712*	84"	4"	12'	5'	243 lbs	MF
4' Arena Walk-Thru	AWTHD674*	84"	4"	4'	6'	123 lbs	MF
6' Arena Walk-Thru	AWTHD676*	84"	4"	6'	6'	151 lbs	MF
10' Arena Walk-Thru	AWTHD6710*	84"	4"	10'	6'	219 lbs	MF
12' Arena Walk-Thru	AWTHD6712*	84"	4"	12'	6'	245 lbs	MF
6' Arena Ride-Thru	ARTHD596*	108"	4"	6'	5'	139 lbs	MF
10' Arena Ride-Thru	ARTHD5910MM*	108"	4"	10'	5'	254 lbs	MM
10' Arena Ride-Thru Bow Only	ARTHD5910OMM*	108"	4"	10'	5'	153 lbs	MM
6' Arena Ride-Thru	ARTHD696*	108"	4"	6'	6'	168 lbs	MF
10' Arena Ride-Thru	ARTHD6910*	108"	4"	10'	6'	228 lbs	MF
10' Arena Ride-Thru	ARTHD6910MM*	108"	4"	10'	6'	228 lbs	MM
10' Arena Ride-Thru Bow Only	ARTHD6910OMM*	108"	4"	10'	6'	154 lbs	MM
12' Arena Drive-Thru	ADTHD51212*	144"	4"	12'	5'	324 lbs	MF
12' Arena Drive-Thru	ADTHD61212*	144"	4"	12'	6'	327 lbs	MF
2" Panel Clip	PC2						
1.75" Panel Clip	PC134						
Bow Hook-up Adapter	BHA						
Connector Posts	<i>Please contact Tarter Representative</i>						


ARENA PACKAGES

Our arena packages have been custom designed to meet a variety of needs. Each arena has been carefully thought out so that you don't have to guess what is needed for your setup. We've taken all the guess work out and now your arena is waiting on you to decide. Each diagram can be found online at tarterusa.com. Give us a call to discuss a fully customized arena package.


100' x 200' PERMANENT RIDING ARENA




120' x 230' PERMANENT COMBO ARENA



BUCKING CHUTES & PENS




150' x 250' PERMANENT ROPING ARENA



Quantity	Description	Item #	Symbol
1	90° Alley Corner	AC90	
4	6' Arena Panel	AP56	
4	10' Arena Panel	AP510	
82	12' Arena Panel	AP512	
4	Backstop	BO	
9	Connector Post	CP85F	
7	Connector Post	CP85M	
79	Connector Post	CP85MF	
1	Connector Post	CP85MM	
5	8' Leadup Alley	LAWOB8	
1	LH Roping Box	LHRB	
1	Manual Roping Chute	MRCE	
1	RH Roping Box	RHRB	
3	6' Arena Gate	SCGBR6	
2	10' Arena Gate	SCGBR10	
3	12' Arena Gate	SCGBR12	
1	Stripping Chute	SCSG	


150' x 250' PORTABLE ROPING ARENA WITH SWEEP SYSTEM



Quantity	Description	Item #	Symbol
1	90° Alley Corner	AC90	
1	12' w/12' Bow Gate	ADTHD51212	
2	6' Arena Panel	AP56	
3	10' Arena Panel	AP510	
82	12' Arena Panel	AP512	
3	6' w/9' Bow Gate	ARTHD596	
2	10' w/9' Bow Gate	ARTHD5910	
5	10' Bow Only	ARTHD59100MM	
2	12' w/9' Bow Gate	ARTHD5912	
4	Backstop	BO	
3	Connector Post	CP55F	
7	Connector Post	CP55FFM	
1	Connector Post	CP55M	
76	Connector Post	CP55MF	
5	Connector Post	CP55MFF	
2	Connector Post	CP55MMF	
5	8' Leadup Alley	LAWOB8	
1	LH Roping Box	LHRB	
1	Manual Roping Chute	MRCE	
1	RH Roping Box	RHRB	
1	10' Roping Sweep	RSS	
1	Stripping Chute	SCSG	


150' x 250'

PERMENANT ROPING ARENA WITH SWEEP SYSTEM




200' x 300'

PERMENANT TEAM/CALF ROPING COMBO ARENA



155' x 300'

DAVID KEY SIGNATURE ARENA



The David Key Arena was designed by David Key himself. This arena is a collection of features and ideas that he liked from all of the arenas he has roped in throughout his career. This arena will reduce wasted down time and allows the roper to manage all aspects of the arena from horseback.



Tarter Farm and Ranch Equipment offers a large variety of solutions to meet your rodeo arena equipment needs. Contact your TARTER representative to discuss available options.



BULLMAX XD SQUARE CORNER GATE

2" SUPER-DUTY GATE

TALL & STRONG: 2" round high-tensile strength steel that stands 62" tall and laser-cut bracing to accommodate the largest animals.

SAFE & SECURE: No sharp edges for animal and handler safety. Super-duty hinges and welded chain latches for reliable animal enclosure.

BUILT TO LAST: Powder-coated finish and welded corners keep moisture at bay, preventing rust.



HEAVY CONFINEMENT

BROWN ITEM #	GREEN ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
2SCGBR4	2SCGG4	0	62"	4'	43 lbs
2SCGBR10	2SCGG10	1	62"	10'	99 lbs
2SCGBR12	2SCGG12	2	62"	12'	117 lbs
2SCGBR16	2SCGG16	3	62"	16'	152 lbs
2SCGBR18*	2SCGG18*	3	62"	18'	194 lbs
2SCGBR20*	2SCGG20*	3	62"	20'	213 lbs

All 2" tube gates are 2½" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products

STEELMAX SQUARE CORNER GATE

SQUARE CORNER GATE

DOUBLE DUTY: Large enough and strong enough to be used for livestock confinement or as a pasture entrance.

TARTER TOUGH: Built to last with 1³/₄" tubing, saddle welded square corners and laser-cut braces.

LOW MAINTENANCE DURABILITY: This gate features a powder coat finish that resists rust, making your investment safe for years to come.

ADJUSTABLE AND SECURE: Bolt-on hinges and chain latch provide reliable enclosure.



MED-LIGHT CONFINEMENT

ITEM #	BRACES	HEIGHT	LENGTH	APPROX. WEIGHT
SCGBR6	0	51"	6'	50 lbs
SCGBR8	0	51"	8'	64 lbs
SCGBR10	1	51"	10'	74 lbs
SCGBR12	1	51"	12'	96 lbs
SCGBR14	1	51"	14'	112 lbs
SCGBR16	2	51"	16'	125 lbs

1³/₄" tube gates are 3" shorter than listed length to allow for hardware and proper clearance.

NOTE: Special lead time may apply to some products





ARENA WORKER

THE QUICK AND EASY WAY TO PREP AND CONDITION YOUR EVENT SPACE

A MUST HAVE: Use on any competition or personal arena to provide a secure footing to reduce injuries and boost performance.

BREAK IT DOWN: Adjustable S-tines rip through soil; breaking down hard clumps with ease.

SMOOTH FINISH: Rear roller bar and drag blade provide a superior finished surface - perfect for nearly any event.

BUILT TARTER TOUGH: Heavy gauge steel frame and powder-coat finish for years of low-maintenance use.



DESCRIPTION	ITEM #	HEIGHT	WIDTH	LENGTH	APPROX. WEIGHT
6' Arena Worker	AWGR6*	45"	75"	84"	720 lbs
8' Arena Worker	AWGR8*	45"	99"	84"	878 lbs



CUSTOM MANUFACTURING

With industry-leading processes, innovative fabrication techniques, and cutting edge technologies; Tarter Farm & Ranch Equipment has the capability to make the facilities of your dreams a reality.

CASE STUDY **OLDE DOMINION** AGRICULTURAL COMPLEX, VA

Founded in 2008 by a group of local farmers and visionaries; The *Olde Dominion Agriculture Foundation* is a regional organization with a mission to promote and support the growth of agriculture in regional communities.

This complex has been constructed in anticipation of providing a well-maintained, community-based facility for a variety of events, as well as a tool for education and agriculture preservation.



The Olde Dominion Agriculture Foundation first approached Tarter in search of a way to integrate their existing infrastructure to the Tarter ecosystem of panels, components and accessories. Allowing them to not only expand their current system, but also retain the flexibility of utilizing components already in place.

By developing and fabricating a custom attachment solution, Tarter was able to equip existing hardware of the complex to accept Tarter components. This allowed them the flexibility to add to or reconfigure the facility as the need arises. With the variety of products available, Tarter is sure to have an answer for every situation. This partnership has allowed them to develop a solution that works best for them; maximizing their investment and providing a top-quality product.





"The Olde Dominion Agriculture Complex and Tarter partnered together to fully equip our cattle show barn and our co-mingling sale barn. We are grateful to Tarter for all of their hard work in customizing their product to our need. We hope to partner with Tarter in the future on all of our expansions into equestrian stalling as well as other livestock shows and sales."

*- John Harris
ODAC*



No matter what size project you plan on completing; Tarter Farm & Ranch has the manufacturing capabilities to make your dreams a reality. Pair that with our first-class design expertise and unparalleled customer service for a stress-free project experience from concept to completion.

CONTACT A TARTER REPRESENTATIVE TO DISCUSS YOUR PROJECT!

CASE STUDY **BLUEGRASS** STOCKYARDS LEXINGTON, KY

When we were planning the new stockyards in Lexington we had several considerations when it came to sourcing materials. We needed to get our business back up and running as quickly as possible after the devastating fire at our old facility but we didn't want to compromise on the quality to do that. We knew that there was only one company around that could understand what we needed and why we needed to operate that way. When we sat down with the Tarter team; everybody shared ideas on design and materials to allow both of us to achieve our goals in the project. Being fellow cattlemen we were totally comfortable that they understood our challenges and needs. We also knew from experience that whatever they promised us would be delivered exactly that way.



Since our barn is an all pipe pen facility we were able to plan and design on a grid system that allowed Tarter to roll, precut and cope our fence tubing. It arrived on site and could be quickly dropped and welded in place. Tarter was tremendous to work with in terms of staging the product delivery and keeping us about a week ahead on inventory. All of the pen fence in the 192,000 square foot barn was built in less than 5 months from setting the first post to hanging the last gate.

CONTACT A TARTER REPRESENTATIVE TO DISCUSS YOUR PROJECT!



Our gates are all custom made by Tarter, we started this over 10 years ago and have built 4 barns using them. These gates are considerably heavier than anything you can buy on the open market but they stand up to the constant use, pressure from livestock and cleaning equipment. Over the years we have tweaked our materials to make the gates durable but no heavier than they have to be and Tarter has provided valuable advice toward that goal. The latch system on the gates is also unique to Blue Grass and is another piece that we have worked closely with Tarter staff to improve and perfect over several years. The latch system allows for easy operation from the ground or horse back. The final piece of our gate system is also unique and is something that has evolved working with Tarter over the years. Tarter fabricates our gate hangers from raw steel. Building on knowledge gained from several years of use in our other facilities we made a key change in our hanging system that has proven to be one that will extend the life of our gates and improve their operation. We added a bushing welded on to the lower gate hanger that gives the gate a smooth, level service to ride on. This reduces the wear and tear on the gate hinges and allows the gate to swing more freely and easily.

"Building our new facility was a fast paced project by necessity. It was a pleasure to work with the Tarter team on the materials, they never let us down and kept us on schedule throughout the project."

*- Jim Akers
COO BlueGrass Stockyards*



CASE STUDY **CENTRAL KY** AG & EXPO CENTER



This 160 acre site rests in the serene beauty of Casey County, KY and boasts state-of-the-art amenities for producers and showmen alike. With 2 livestock barns outfitted with over 300 stalls and over 70,000 square feet of event space, the Ag & Expo Center needed a flexible, reliable, comprehensive solution for animal confinement and containment.

A combination of heavy gauge panels and components from their neighbors at Tarter provided a simple, easy to use system that can be utilized in a variety of ways to meet the needs of various events.



CASE STUDY **CENTRAL STATES FAIR** BLACK HILLS NORTH DAKOTA STOCK SHOW & RODEO



"We operate a very active fairgrounds in South Dakota. We host thousands of horses each year at our facilities. A few years ago, we enclosed our stall barns and added LED lighting. The only thing missing to complete the upgrade of our stall barns was good, quality stalls. We partnered with Tarter to put in new stalls.

Our experience with these stalls and the Tarter team was excellent. The stalls are holding up nicely. They are sturdy and rust free and operate perfectly. We chose the wood paneled Expo Horse Stalls and could not be happier with the way they went together and the new, clean look it gave our barns. Our customers like them too. We would recommend to anyone thinking about remodeling or building new horse facilities to talk to the fine folks at Tarter and see what they can do for you. You won't be sorry you did."

- Ron Jeffries
General Manager



CASE STUDY **PARK CO. FAIR** POWELL, WYOMING



Every year the Park County Fair celebrates Wyoming's farming and agricultural past. With events and attractions for all ages, the fair supports local showmen and women with updated facilities and amenities that provide a safe and secure place to board their prize winning animals. Utilizing Tarter Small Animal Expo Stalls has allowed them to create a customized solution for their existing structures.

CASE STUDY **SISSETON WAPHETON COLLEGE** SISSETON, SOUTH DAKOTA



"We put in a full rodeo arena package from Tarter for our college rodeo team and we really like it! It has made my job coaching much easier, everything works good and is easy to operate which makes practice go much smoother and my students were able to get more out of each practice. From the roping chute to the bucking chutes and lead ups. It all went together really nice and was easy to set up. The chutes all open and close really nice and the whole arena is very usable. It is one of the nicest arenas I have ever seen! I would recommend the Tarter arenas to everyone!"

- Emit Valnes
SWC Rodeo Coach



Whatever size project you are planning; Tarter Farm & Ranch has the manufacturing capabilities to make your dreams a reality. Pair that with our first-class design expertise and unparalleled customer service for a stress-free project experience from concept to completion.

CONTACT A TARTER REPRESENTATIVE TO DISCUSS YOUR PROJECT!

A man wearing a grey t-shirt, blue jeans, a baseball cap, and work gloves is working on a fence. He is using a hammer to secure a wire mesh fence to a wooden post. The background shows a grassy field and trees under a clear sky.

FENCING SUPPLIES

Build a fence that protects your livestock and small animals. Tarter has the selection and accessories for fencing solutions that last.



WIRE FENCE STRETCHER/UNROLLER

NO CREW, NO PROBLEM: 3-point stretcher lets one person easily handle the fencing work of an entire crew. Stretches your fence to desired tightness and holds it in place for nailing.

TANGLE FREE: Easily holds spools of heavy wire fencing up to 65" in height without tangling or kinking.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder-coat finish to protect your investment.

Item	WFS
Horsepower	20 Minimum
Hitch	Cat 1
Height	71"
Width	32"
Length	45"
Weight	183 lbs
Wire Roll Capacity	up to 65" tall, 24" dia.



WIRE UNROLLER

BACK SAVING: Easily attaches to any standard 2" receiver hitch allowing you to unroll spools of wire fence quickly and easily. ATV option includes adapter to attach to any standard ATV or UTV.

TANGLE FREE: Easily holds spools of heavy wire fencing without tangling or kinking.

BUILT TARTER TOUGH: Features our durable, corrosion-resistant powder-coat finish to protect your investment.



DESCRIPTION

2" Receiver Wire Unroller

ITEM #

2RWU

HEIGHT

12"

WIDTH

24"

LENGTH

23"

APPROX. WEIGHT

26 lbs

ATV Wire Unroller

ATVWU

12"

24"

25"

32 lbs

ATV Wire Unroller Hitch (to convert 2RWU)

ATVZ232G

—

—

—


—



STOCK 10 WIRE PANEL

10 horizontal wires run the length of the panel.


DESCRIPTION	ITEM #	GAUGE	H	L	APPROX WEIGHT	BUNDLE
Stock 10 Wire Panel	CPS10	4/5	50"	16'	36 lbs	25
Handy Panel	HP8	4/5	50"	8'	14 lbs	50



COMBO THRIFTY WIRE PANEL

13 horizontal wires run the length of the panel.

DESCRIPTION	ITEM #	GAUGE	H	L	APPROX WEIGHT	BUNDLE
Combo Thrifty Wire Panel	CPCT	4/5	50"	16'	43 lbs	50



HOG WIRE PANEL

11 horizontal wires run the length of the panel.


DESCRIPTION	ITEM #	GAUGE	H	L	APPROX WEIGHT	BUNDLE
Hog Wire Panel	CPH	4/5	34"	16'	34 lbs	50



HORSE WIRE PANEL

16 horizontal wires run the length of the panel with 2"x4" spacing.


DESCRIPTION	ITEM #	GAUGE	H	L	APPROX WEIGHT	BUNDLE
Horse Wire Panel	WPG16	6	60"	16'	75 lbs	25










4X4 UTILITY PANEL

13 horizontal wires run the length of the panel with 4"x4" spacing.

DESCRIPTION	ITEM #	GAUGE	H	L	APPROX WEIGHT	BUNDLE
4x4 Utility Panel	WP4466416	6	48"	16'	40 lbs	25
4x4 Utility Panel	WP4466516	6	60"	16'	49 lbs	25



WIRE PRODUCTS

CLASS	DESCRIPTION	ITEM #	BARBS	GAUGE	SPACING	HEIGHT	LENGTH	ASTM
Barbed Wire 	Class 1 Barbed Wire	317831TD	4PT	12.5	5"	12.5	1/4 mile	A121
	Class 3 High-tensile Barbed Wire	317881TD	4PT	15.5	5"	15.5	1/4 mile	A121
Smooth Wire 	10# Smooth Wire Coils	317527AD	4PT	9			171 ft	A641
Heavy-Duty Electric Fence Wire 	Class 3 Electric Fence Wire	317732TD		12.5			4,000 ft	A641
Electric Fence Wire 	Electric Fence Wire	317774TD		14			1/4 mile	A641
	Electric Fence Wire	317772TD		14			1/2 mile	A641
	Electric Fence Wire	317754TD		17			1/4 mile	A641
	Electric Fence Wire	317752TD		17			1/2 mile	A641
Field Fence 	1047-6 (Class 1)	348106TD		12.5	6" grad	47"	330'	A116
	1047-6 (Class 3)	348134TD		12.5	6" grad	47"	330'	A116
	949-12 Max Loc (Class 3)	348136TD		12.5	12" grad	49"	330'	A116
Horse Fence 	Horse Fence (Class 1)	348308TD		12.5	2"x4"	48"	100'	A641
Small Animal Fence 	Small Animal Fence (Class 1)	356106TD		12.5	4"x4"	48"	330'	A116

NOTE: Special lead time may apply to some products

PAINTED ELECTRIC FENCE POST

- Stocked and shipped with all of your other Tarter products
- $\frac{3}{8}$ " ridged rebar construction
- 25 posts per bundle
- 2000 posts per pallet
- Sold by pallet or bundles



ITEM #	APPROX WEIGHT	WIDTH	LENGTH
PEFP	1.5 lb	$\frac{3}{8}$ "	48"



POST DRIVER

- Used to drive T-posts and smaller metal posts into the ground
- Constructed of $2\frac{3}{8}$ " heavy-walled pipe
- Sturdy $\frac{1}{2}$ " steel handles make post driving easier
- 14 lb drive weight

ITEM #	APPROX WEIGHT	WIDTH	LENGTH
PD	14 lb	7.75"	28 $\frac{1}{4}$ "



T-POST PULLER

- Used to pull T-posts quickly and neatly from the ground
- Folds for easy storage
- A must for every pickup and farm toolbox

ITEM #	APPROX WEIGHT	WIDTH	LENGTH
TPP	21 lb	31"	64"

DUNNVILLE



**TARTER
GATE CO. INC.**

MFG. OF
Wood, Steel,
Wire & Tubular
FARM CLOSURES

DUNNVILLE, KY



P.O. BOX 10
10739 S. HWY 127
DUNNVILLE, KY 42528
1-800-REDGATE
(1-800-733-4283)
FAX: 606-787-8913
TARTERUSA.COM